

# **TABLE OF CONTENTS**

# SECTION I

SECTION II

SECTION III

**SECTION IV** 

**SECTION V** 

**SECTION VI** 

**SECTION VII** 

SECTION VIII

SECTION IX

SECTION X

Your Warranty Booklet and Certificate of Warranty Coverage

The Warranties Provided By Your Builder/Seller

The Option To Repair, Replace or Pay For Defect and/or Structural Defect

**Reporting a Warranty Claim** 

The Effect of this Warranty on Your Legal Rights

Arbitration of Disputes

Your Responsibilities Under This Express Limited Warranty

Exclusions

Manufacturers and Other Similar Warranties

**Construction Performance Guidelines** 

## THIS PAGE INTENTIONALLY LEFT BLANK

10111 101 011611



### SECTION I. YOUR WARRANTY BOOKLET AND CERTIFICATE OF WARRANTY COVERAGE.

This booklet and the **Certificate of Warranty Coverage** are very important legal documents that fully define the provisions of **Your Builder/Seller's** express limited warranty, **Your** rights and **Your Builder/Seller's** rights and obligations. Therefore, it is important to keep this booklet and the **Certificate of Warranty Coverage** with other legal documents that are important to **You**.

**Your** warranty is not a policy of insurance, a maintenance agreement or a service contract. If **You** have a mortgage on **Your Home**, **Your** lender may insist that **You** have a Homeowners' insurance policy. This warranty is not a Homeowners' insurance policy and it will not satisfy the lender's requirement.

The provisions of this warranty may not be changed by **Your Builder/Seller** or by any other person. If any provision of this warranty is found to be unenforceable, the remaining provisions will remain in full force and effect.

## A. TRANSFERRING YOUR BUILDER/SELLER'S EXPRESS LIMITED WARRANTY.

If You sell Your Home during the term of the express limited warranty, this warranty can be transferred to the next owner, and any subsequent owners. This means all of Your rights and obligations under this warranty, up to the remaining amount of the Warranty Limit, will transfer to each purchaser of Your Home or any person who otherwise obtains title to Your Home, including any mortgagee in possession, for the remaining term of the warranty.

When You sell Your Home, You agree to give this warranty booklet and the Certificate of Warranty Coverage to Your buyer in order to make it possible for the buyer to understand his or her rights and fulfill his or her obligations under the provisions of this express limited warranty.

If **You** are a successive owner of the **Home**, **You** may benefit from the coverage provided by this express limited warranty, but in return **You** are bound by all of the terms and conditions of this warranty including but not limited to the procedures that must be followed to make a claim and the obligation to participate in arbitration as set out in this warranty. To register the warranty in **Your** name please complete and mail the Successive Owner Transfer and Acceptance Form along with a check for \$20.00 to 2-10 HBW at the address shown on the form.

### **B. WORDS WITH SPECIAL MEANINGS.**

Generally speaking, the words used in this warranty have their normal everyday meaning. In some cases, however, a word will be used as shorthand to describe specifically one of the key provisions contained in this express limited warranty. In those cases, the words will be capitalized, and the capitalized word will always have the same special meaning.

Most defined terms are described in this section, however, other sections of this warranty booklet may contain other defined terms. The words being given a special meaning in this section are as follows:

"Builder/Seller" means the Home Builder/Seller listed on the Certificate of Warranty Coverage, and is the person or company providing You with this express limited warranty.

"Certificate of Warranty Coverage" is the document issued by 2-10 HBW confirming that Your Builder/Seller took all steps required to make the express limited warranty on Your Home effective.

"Common Element" means any portion of a Multi-Family Building which is defined as a Common Element in either common interest ownership laws or in the declaration establishing such community. Unless excluded in Section VIII, Common Elements may include, without limitation, hallways, roofs, exterior finishes, and electrical, plumbing, and mechanical distribution systems.

"Common Element Date of Warranty" means the earlier of the date a certificate of occupancy is issued for the Multi-Family Building or the date a unit in the building is first occupied.

"Commercial Space" means any unit within a Multi-Family Building that is used primarily for a non-residential purpose, including, without limitation, club houses, retail space, and recreational facilities.

"Defect" means a failure to meet the Construction Performance Guidelines for workmanship and systems set forth in Section X of this warranty booklet.

"Effective Date of Warranty" means the date the express limited warranty goes into effect. That date will be the earliest of: (1) the closing date on which You purchased the Home, (2) the date title to the Home was transferred to You if title was transferred before Your closing date, or (3) the date anyone first began living in the Home if before Your closing date. Homes With FHA/VA Financing

Only - If Your Certificate of Warranty indicates Your Home has FHA/VA financing, the Effective Date of Warranty is the date of closing.

"Home" means the dwelling unit and garage (if any) or the Commercial Space (if any) located at the address shown on the Certificate of Warranty Coverage.

"Multi-Family Building" is a building in a common interest community that may consist of dwelling units, shared parking spaces, Commercial Space(s) and/or Common Elements.

"Performance Guidelines" mean the performance standard(s) the Home or element or component must satisfy.

"Structural Defect" is defined in Section IIB of this warranty booklet.

"You", "Your", and similar words means the person or persons who are the legal owners of the Home covered by this express limited warranty.

"Warranty Insurer" is the Builder/Seller's Warranty Insurer as stated on Your Certificate of Warranty Coverage.

"Warranty Limit" is the aggregate financial obligation of the Builder/Seller for all claims under this warranty and is the sum stated on the Certificate of Warranty Coverage.

## SECTION II. THE WARRANTIES PROVIDED BY YOUR BUILDER/SELLER.

A. ONE YEAR WORKMANSHIP AND TWO YEAR SYSTEMS DEFECT WARRANTY. Your Builder/Seller is providing a One Year Workmanship and Two Year Systems Defect Warranty for Your Home. This means that Your Home will be free from Defects in materials and workmanship for one year as defined in the Construction Performance Guidelines in Section X; and for two years Your Home will be free from Defects in the electrical, plumbing, and mechanical distribution system as stated in Section X. The Workmanship warranty shall expire one year from the Effective Date of Warranty; and the Systems Warranty will expire two years from the Effective Date of Warranty.



## WORKMANSHIP

Examples of items typically covered under the one year workmanship warranty.



## SYSTEMS

Examples of items typically covered under the two year systems warranty.

l

**B. STRUCTURAL DEFECT WARRANTY. Your Builder/Seller** is providing a **Structural Defect** warranty. This means that the **Builder/Seller** warrants that **Your Home** will be free from **Structural Defects** from the **Effective Date of Warranty** for ten years.

**Structural Defect** is defined as actual physical damage to the designated load-bearing elements of the **Home** caused by failure of such load-bearing elements which affects their load-bearing functions to the extent that **Your Home** becomes unsafe, unsanitary, or otherwise unlivable. This is coverage for catastrophic failure of load-bearing elements of **Your Home**. The designated load-bearing elements that are covered under the **Structural Defect** warranty are:

- 1. Footings and Foundation systems;
- 2. Beams;
- 3. Girders:
- 4. Lintels:
- 5. Masonry Arches;
- 6. Columns;
- 7. Load-bearing walls and partitions;
- 8. Roof framing systems; and
- 9. Floor systems.



## STRUCTURE

Examples of items typically covered under the ten year structural warranty.

The remaining elements of **Your Home** are not load-bearing elements under this **Structural Defect** warranty. A non-exclusive list of some of the non-load-bearing elements in **Your Home** not covered by this **Structural Defect** warranty are:

- 1. Non-load-bearing partitions and walls;
- 2. Wall tile or paper, etc.;
- 3. Drywall and plaster;
- 4. Flooring and sub-flooring material;
- 5. Stucco, brick and stone veneer;
- 6. Any type of exterior siding;
- 7. Roof shingles, roof tiles, sheathing, and tar paper;
- 8. Heating, cooling, ventilating, plumbing, electrical and mechanical systems;
- 9. Appliances, fixtures or items of equipment;
- 10. Doors, trim, cabinets, hardware, insulation, paint, stains; and
- 11. Basement and other interior floating, ground-supported concrete slabs.

Homes With FHA/VA Financing Only – If Your Certificate of Warranty indicates Your Home has FHA/VA financing, add the following to the definition of designated load-bearing elements that are covered:

- 12. Roof sheathing only if Your Home has original FHA/VA financing still in effect; and
- 13. State of Colorado: Basement slabs for the first four years of the Structural Defect warranty period only if Your Home has original FHA/VA financing still in effect.

**C. INDIANA RESIDENTS.** If **Your Home** is located in the State of Indiana, **Your Home** will be free from **Defects** in materials and workmanship as defined in the Construction **Performance Guidelines** contained in Section X of this warranty booklet for a period of two years from the **Effective Date of Warranty**, and the roof on **Your Home** will be free from **Defects** in faulty workmanship or defective materials for a period of four years from the **Effective Date of Warranty**. All other provisions of this warranty remain the same.

3

## SECTION III. THE OPTION TO REPAIR, REPLACE OR PAY FOR DEFECT AND/OR STRUCTURAL DEFECT. A. PROVISIONS APPLICABLE TO DEFECT AND/OR STRUCTURAL DEFECT.

The **Builder/Seller** shall have the option to repair, replace or pay **You** the reasonable cost of repair of any **Defect**. The **Warranty Insurer** shall have the option to repair, replace or pay **You** the reasonable cost of repairing any **Structural Defect**. The design, method and manner of such repair shall be within the sole discretion of the **Builder/Seller** or **Warranty Insurer**, as applicable. At the time of repair, replacement or payment for the repair of any **Defect** or **Structural Defect**. You must:

- 1. Assign to the **Builder/Seller** or **Warranty Insurer** any rights **You** may have against any other person with respect to the **Defect** or **Structural Defect**. You must not do anything to prejudice these rights of subrogation.
- 2. Sign and deliver a full and unconditional release of the **Builder/Seller** or **Warranty Insurer**, in recordable form, of all legal obligations with respect to the warranted items and conditions arising from those items.

If an improvement, fixture or property not constructed by the **Builder/Seller** is damaged or requires removal during the repair, it is **Your** sole responsibility, and not the responsibility of the **Builder/Seller** or **Warranty Insurer**, to pay for the cost of repair or removal of such improvement, fixture or property. No repair shall extend the term of this express limited warranty as to any **Defect** or **Structural Defect**, including without limitation, the **Defect** or **Structural Defect** that was the subject of the repair.

Homes With FHA/VA Financing Only – In the case of cash payments regarding Homes with original FHA/VA financing still in effect, the Warranty Insurer is required to make payment to You and Your mortgagee. You must provide the name and address of Your mortgagee, the FHA/VA case number and the loan number (Your HUD settlement statement will have this information) when You file a claim with respect to a Home with a FHA/VA financed mortgage, in order for these obligations to be performed.

## **B. ADDITIONAL PROVISIONS APPLICABLE TO THE REPAIR OF STRUCTURAL DEFECT.**

The repair of a **Structural Defect** is limited to:

- 1. The repair of damage to designated load-bearing portions of the Home which is necessary to restore their load-bearing ability;
- 2. The repair of designated non-load-bearing portions, items or systems of the **Home**, damaged by the **Structural Defect**, which make the **Home** unsafe, unsanitary, or otherwise unlivable (such as the repair of inoperable windows, doors and the restoration of functionality of damaged electrical, plumbing, heating, cooling, and ventilating systems); and
- The repair and cosmetic correction of only those surfaces, finishes and coverings, original with the Home, damaged by the Structural Defect, or which require removal and replacement attendant to repair of the structural damage, or to repair other damage directly attributable to the Structural Defect.

Repairs of the Structural Defect are intended to restore the Home to approximately the condition just prior to the Structural Defect, but not necessarily to a like-new condition.

## C. ACCESS TO YOUR HOME FOR INSPECTING AND MAKING REPAIRS.

In order to carry out the warranty responsibilities, the Builder/Seller or Warranty Insurer will require access to Your Home. If Your Home is in a Multi-Family Building, You agree (after reasonable notice) to allow access to, or within Your Home during normal business hours so repairs may be made to any adjacent unit or Common Element. If emergency repairs are necessary and You cannot be reached within a reasonable time period, You waive such notice. If You do not provide access to Your Home during normal business hours to inspect, repair, or conduct tests on Your Home as may be required to evaluate or repair a Defect or Structural Defect, You are relieving the Builder/Seller and Warranty Insurer of all responsibility to make repairs, replace or pay for any Defect or Structural Defect under this warranty.

In addition to the right to inspect Your Home, the Builder/Seller or Warranty Insurer shall have the right, in advance of any arbitration concerning Your Home, to re-inspect Your Home if the request for arbitration is made more than sixty (60) days after the last claim decision concerning the claim that is the subject of the arbitration.

## D. THE LIMITS OF YOUR WARRANTY.

Every time **Your Builder/Seller** or **Warranty Insurer** pays a claim under this warranty, the amount of that payment is deducted from the **Warranty Limit**. When the **Warranty Limit** is exhausted, there is no longer warranty coverage for **Your Home**. A claim payment includes the cost to the **Builder/Seller** or **Warranty Insurer** of repairing a **Defect** or **Structural Defect** in **Your Home** covered under this warranty. However, a claim payment does not include the cost of investigating the claim.

The Warranty Limit for Common Elements in a Multi-Family Building is equal to the sum of the unexpired Warranty Limits for all Homes in the building which are enrolled in the 2-10 HBW Program. In the event that all Homes in the Multi-Family Building were not enrolled, the Warranty Limit for Common Elements Defects or Common Elements Structural Defect coverage shall be reduced pro-rata based upon the ratio of the original sale price of the non-enrolled Homes compared to the total original sales price of all Homes in the Multi-Family Building. If the claim payment is for a Common Elements Defect or Common Elements Structural Defect, the Warranty Limit on each Home in the Multi-Family Building still covered by an unexpired warranty shall be reduced pro-rata in the proportion which the Common Elements claim payment bears to the total original sales price of all enrolled Homes. Any coverage for Your Builder/Seller's express limited warranty shall be excess of any other valid and collectible insurance available to You or Your Builder/Seller, whether primary, pro-rata or excess, and whether or not collected.

### **E. EMERGENCY REPAIRS.**

An emergency means a substantial risk of serious physical damage to the **Home** or a substantial risk of serious bodily injury to its occupants if a **Defect** or **Structural Defect** is not immediately repaired. If **You** have an emergency involving a **Defect** or a **Structural Defect**, **You** must contact **Your Builder/Seller** immediately, who is responsible for making emergency repairs or authorizing **You** to make emergency repairs. If **You** are unable to contact **Your Builder/Seller**, **You** must then (1) make minimal repairs necessary to avoid the emergency until authorization for more extensive repairs have been approved by **Your Builder/Seller**, **Seller**, (2) take any action reasonably necessary to limit additional damage, and (3) report the emergency to the **Builder/Seller** and 2-10 HBW on the next business day.

Except for authorized emergency repairs, do not repair or attempt to repair a claimed **Defect** or **Structural Defect** before the **Builder/Seller** has an opportunity to inspect the **Defect** or **Structural Defect**. Any attempt to repair a claimed **Defect** or **Structural Defect**, other than an authorized emergency repair, will make it impossible to assess whether the **Defect** or **Structural Defect** was covered by this warranty, whether the repair was correct, cost-effective, necessary, and effective, or whether the problem could be resolved in another way. Unless an emergency **Defect** or **Structural Defect** repair is authorized, the **Builder/ Seller** and/or the 2-10 HBW **Warranty Insurer** will have no responsibility to reimburse any costs due to repair, replacement, and expenses, including engineering and attorney's fees.

## SECTION IV. REPORTING A WARRANTY CLAIM.

### A. WORKMANSHIP AND SYSTEMS DEFECTS.

If You believe Your Home has a Defect that is covered under Your Builder/Seller's Workmanship or Systems Warranty that occurred during the applicable term of the warranties, You must take the steps described in this Section IV.

### **B. STRUCTURAL DEFECTS.**

If You believe Your Home has a Structural Defect that is covered under Your Builder/Seller's Structural Warranty, You must take the steps described in Section IV.D.2. Notice of Structural Defect must be made by the Homeowner, except for Multi-Family Buildings, notice for each affected building must be made by the Homeowners' association or its designated representative, along with a copy of the Certificate of Warranty Coverage for each Home in the building.

### **C. NOTICE TO YOUR BUILDER/SELLER.**

1. Workmanship and Systems Defect(s) must be reported to the Builder/Seller as soon as possible but no later than 15 days after the expiration of the applicable term of the warranty. Send written notification to Your Builder/Seller listing completely the specific Defect(s) and the date the Defect(s) occurred. The Defect will not be covered under this warranty if the Notice is received more than 15 days after the expiration of the warranty term. These time limits are a material condition of this warranty. It is recommended (but not required) that Your letter be sent by certified mail, return receipt requested so You have a record of when Your letter was sent and received.

### D. NOTICE TO 2-10 HBW.

1. WORKMANSHIP AND SYSTEMS DEFECTS MUST BE REPORTED TO 2-10 HBW AS SOON AS POSSIBLE BUT NO LATER THAN 15 DAYS AFTER THE EXPIRATION OF THE APPLICABLE TERM OF THE WARRANTY.

If covered repairs for the Workmanship or Systems **Defects** are not completed by **Your Builder/Seller** within sixty (60) days of the date **You** sent **Your** letter or before the expiration of the warranty term (whichever date comes earlier), **You** must complete the following three steps:

a. Complete the appropriate Notice of Complaint Form ("Notice"), which is found at the back of this warranty booklet.

b. Send one copy of the Notice to Your Builder/Seller.

c. Send one copy of the Notice to 2-10 HBW, and include:

- 1. A copy of Your Certificate of Warranty Coverage; and
- 2. A copy of all correspondence with Your Builder/Seller regarding the Defect(s) in question to:

2-10 Home Buyers Warranty

Warranty Administration Department

10375 East Harvard Avenue, Suite 100

- Denver, CO 80231
- Phone: 855.429.2109

We recommended (but do not require) that You send this notice by certified mail, return receipt requested, so You have a record of when the notice was sent and received. Include copies of Your Certificate of Warranty Coverage and all correspondence with Your Builder/Seller about the Defect(s) in question.

WHAT 2-10 HBW WILL DO. Once 2-10 HBW has received Your Notice of Defect, it will again notify Your Builder/Seller of Your Defect(s). If You and Your Builder/Seller still cannot resolve Your differences even with 2-10 HBW's conciliation help, then You and Your Builder/Seller must arbitrate Your dispute under the arbitration agreement set forth in this booklet. 2-10 HBW will provide a form for You to request arbitration after You have completed the procedure described above. If 2-10 HBW determines that Your Builder/Seller cannot or will not participate in arbitration, or Your Builder/Seller refused to pay or perform an arbitration award in Your favor, 2-10 HBW will notify You of that fact. You must then forward to 2-10 HBW at the address above, a one time \$250 claim deductible (check payable to the Builder/Seller's Warranty Insurer stated on Your Certificate of Warranty Coverage). Upon receipt, 2-10 HBW will forward the check and Your file to the Builder/Seller's Warranty Insurer, and the Warranty Insurer will adjust the claim.

Homes With FHA/VA Financing Only – If You are the original owner and Your Home has original FHA/VA financing still in effect, the \$250 deductible is collected after the claim is accepted and the amount of the loss is determined.

- 2. Structural Defect(s) must be reported to 2-10 HBW as soon as possible but no later than thirty (30) days after the expiration of the applicable term of the Warranty. Notice means that You must complete the following two steps:
  - a. Complete the appropriate Notice of Claim Form ("Notice"), which is found at the back of this warranty booklet. b. Send one copy of the Notice to 2-10 HBW, and include:
    - 1. A copy of **Your Certificate of Warranty Coverage**; pay a \$250 claim investigation fee payable to the **Warranty Insurer** stated on the **Certificate of Warranty Coverage**; and

A copy of all correspondence with Your Builder/Seller regarding the Structural Defect(s) in question to:
 2-10 Home Buyers Warranty

Warranty Administration Department 10375 East Harvard Avenue, Suite 100 Denver, CO 80231 Phone: 855.429.2109

We recommended (but do not require) that **You** send this notice by certified mail, return receipt requested, so **You** have a record of when the notice was sent and received.

<u>Homes With FHA/VA Financing Only</u> – If You are the original owner and Your Home has original FHA/VA financing still in effect, You do not have to send the \$250 claim fee investigation fee with Your Notice of Claim Form. The \$250 fee will be collected after the claim is accepted and the amount of the loss is determined.

WHAT 2-10 HBW WILL DO. Upon receipt of the items identified in D.2 above, 2-10 HBW will forward the check and Your file to the Warranty Insurer, and the Warranty Insurer will adjust the claim.

## SECTION V. THE EFFECT OF THIS WARRANTY ON YOUR LEGAL RIGHTS.

You have accepted this express limited warranty provided in this warranty booklet. All other express or implied warranties, including oral or written statements or representations made by Your Builder/Seller or any implied warranty of habitability, merchantability or fitness, are disclaimed by Your Builder/Seller and waived by You to the extent possible under the laws of Your state. You may have other remedies as provided under the law of the state where the Home is located.

\*California: The protection provided under this Warranty is not in limitation of, but is in addition to any other rights provided to You under California law.

\*Kansas: You have not waived the implied warranties and the Warranty is not Your exclusive remedy. You may have other remedies as provided to You under Kansas law.

\*Florida: Units located in Multi-Family Buildings may have additional statutory protection under Florida law.

\*Oregon: Units located in Multi-Family Buildings may have additional statutory protection under Oregon law.

## **SECTION VI. ARBITRATION OF DISPUTES.\***

To expedite the resolution of any and all claims, disputes and controversies by or between the Homeowner, the Builder/ Seller, 2-10 HBW, as administrator, the Warranty Insurer or any combination of the foregoing, arising from or related to this Warranty, the Warranty Insurance Policy or the 2-10 HBW Program, shall be settled by binding arbitration. Agreeing to arbitration means You are waiving Your right to a jury trial, class action or consolidation.

Any party shall be entitled to recover reasonable attorney's fees and costs incurred in enforcing this arbitration agreement. The decision of the arbitrator shall be final and binding and may be entered as a judgment in any State or

Federal court of competent jurisdiction.

### A. SELECTING AN ARBITRATION SERVICE.

The arbitration shall be conducted by DeMars & Associates, Ltd. or by Construction Dispute Resolution Services, LLC, or by any mutually agreeable arbitration services, pursuant to the applicable rules in effect at the time of the arbitration. The choice of the arbitration service shall be that of the Homeowner, or if the Homeowner is not involved, the party who initiates the arbitration shall choose the arbitration service. No arbitration proceeding shall involve more than one singlefamily detached dwelling or more than one Multi-Family Building. The arbitrator shall render an award in accordance with the substantive law in the state in which the Home is located. The decision of the arbitrator shall be final and binding and may be entered as a judgment in any State or Federal court of competent jurisdiction.

## **B. DISPUTES CONCERNING THE APPLICATION OF THIS ARBITRATION AGREEMENT.**

The parties expressly agree that this arbitration agreement involves and concerns interstate commerce and interpretation of this arbitration agreement shall be governed by the Federal Arbitration Act (9 U.S.C. § 1, et seq.) ("FAA"), to the exclusion of any different or inconsistent state or local law, ordinance or judicial rule. This arbitration agreement is a self-executing arbitration agreement. Any disputes concerning the interpretation or enforceability of this arbitration agreement, including without limitation, its revocability or voidability for any cause, the scope of arbitrable issues, and any defense based upon waiver, estoppel or laches, shall be decided by the arbitrator.

## **C. COST OF ARBITRATION.**

All administrative fees of the arbitration service and fees of the arbitrator shall be allocated to the parties as provided in the rules of the arbitration service, subject to the discretion of the arbitrator to reallocate such fees in the interests of justice.

D. FOR WARRANTIES ISSUED IN CALIFORNIA: For 2-10 HBW warranties issued on Homes located within the State of California, the arbitration provisions are amended as follows. The FAA shall govern the enforceability of this arbitration agreement, to the exclusion of any state law (statutory or judicial). Arbitration shall not be to stayed or denied enforcement pursuant to California Code of Civil Procedure § 1281.2(c). An arbitration service or arbitrator conducting an arbitration must satisfy the disclosure requirements mandated under the California Arbitration Act. The arbitrator shall not have the power to commit errors of law or legal reasoning. California procedural and substantive laws and the California Arbitration Act relating to the process of modifying, confirming, or vacating an arbitration award shall be the governing law with respect to the finality of any resulting arbitration award. Any award pursuant to this arbitration agreement will be subject to judicial vacatur if the award manifests legal errors. The arbitrator shall prepare in writing and provide to the parties an award including factual findings and the reasons on which his decision is based. A party may apply to such court for an order confirming, modifying or vacating the award, and upon the court's review of (a) whether the findings of fact rendered by the arbitrator are supported by substantial evidence and (b) whether, as a matter of law based on such findings of fact, a judgment shall be entered in favor of either party consistent with such review.

\*Homes With FHA/VA Financing Only – If You are the original owner and Your Home has original FHA/VA financing still in effect, in lieu of any right to have a claim resolved in a judicial proceeding, You may, at Your election, submit to arbitration all claims, disputes and controversies by or between You, the Builder/Seller, the Warranty Insurer and/or 2-10 HBW, arising from or related to the warranty. In addition, 2-10 HBW and/or the Warranty Insurer will offer pre-arbitration conciliation at no cost to You.

## SECTION VII. YOUR RESPONSIBILITIES UNDER THIS EXPRESS LIMITED WARRANTY.

You are responsible for proper maintenance of Your Home including maintaining Builder/Seller-set grades around the Home, planting trees and shrubs at the proper distance from the Home, and conforming to generally accepted landscape practices for Your region. Your Builder/Seller is not responsible for problems that arise if You do not meet these responsibilities. Also, all new Homes go through a period of settlement and movement, and Your Home may experience some minor material shrinkage, cracking and other events which are normal and customary. Examples include small cracks in drywall and paint; and separation where dissimilar materials meet each other — for example, where moldings meet sheetrock, or where tile grout meets a sink. In most cases, paint and caulking is all that is necessary to conceal these types of blemishes that result from the natural expansion and contraction of construction material. Because these events are normal and customary, they are not a Defect or Structural Defect that are covered by this express limited warranty.

#### SECTION VIII. EXCLUSIONS.

This Warranty does not provide coverage for any of the following items which are specifically excluded.

- 1. Damage to land and other real property that was not part of Your Home, or any property that was not included in the purchase price stated on the Certificate of Warranty Coverage;
- 2. Damage to or **Defects** in swimming pools, tennis courts and other exterior recreational facilities; driveways; boundary walls, retaining walls and bulkheads (except where boundary walls, retaining walls and bulkheads are necessary for the structural stability of the **Home**); fences; landscaping (including sod, seeding, shrubs, trees, and plantings); sprinkler systems, patios, decks, and porches, outbuildings, detached carports, or any other appurtenant structure or attachment to the dwelling; or other additions or improvements not a part of **Your Home**;
- 3. Loss or damage which arises while Your Home is being used primarily for nonresidential purposes;
- 4. Changes in the level of underground water table which were not reasonably foreseeable at the time of construction of **Your Home**;
- 5. Failure of Your Builder/Seller to complete construction or construction which is noncompliant with plans and specifications; violations of local or national building codes, ordinances or standards;
- 6. Any condition which has not resulted in actual physical damage to Your Home;
- 7. Any loss or damage that is caused or made worse by any of the following causes, whether acting alone or in sequence or concurrence with any other cause or causes whatsoever, including without limitation:
  - Negligence, improper maintenance, defective material or work supplied by, or improper operation by, anyone other than Your Builder/Seller or its employees, agents or subcontractors, including failure to comply with the warranty requirements of manufacturers of appliances, equipment or fixtures;
  - b. Your failure to give prompt and proper notice to 2-10 HBW and Your Builder/Seller of any Defect or Structural Defect;
  - c. Change of the grading of the ground that does not comply with accepted grading practices, or failure to maintain the original grade;
  - d. Riot or civil commotion, war, vandalism, hurricane, tornado or other windstorm, fire, explosion, blasting, smoke, water escape, tidal wave, flood, hail, snow, ice storm, lightning, falling trees or other objects, aircraft, vehicles, mudslide, landslide, avalanche, earthquake, volcanic eruption or sinkholes or geographical phenomena involving subsurface slope instability;
  - e. Abuse or use of Your Home, or any part thereof, beyond the reasonable capacity of such part for such use;
  - f. Microorganisms, fungus, decay, wet rot, dry rot, soft rot, rotting of any kind, mold, mildew, vermin, termites, insects, rodents, birds, wild or domestic animals, plants, corrosion, rust, radon, radiation, formaldehyde, asbestos, any solid, liquid or gaseous pollutant, contaminant, toxin, irritant or carcinogenic substance, whether organic or inorganic, and electromagnetic field or emission, including any claim of health risk or uninhabitability based on any of the foregoing; Homes With FHA/VA Financing Only – If You are the original owner and Your Home has original FHA/VA financing still in effect, termite damage shall be covered for one year from the Effective Date of Warranty;
  - g. Your failure to minimize or mitigate any defect, condition, loss or damage as soon as practicable;
- 8. Any loss or damage caused by buried debris, underground springs, sinkholes, mineshafts or other anomalies which were not reasonably foreseeable in a building site **You** provided;
- 9. Loss caused, in whole or in part, by any peril or occurrence for which compensation is provided by state legislation or public funds;
- 10. Costs of shelter, transportation, food, moving, storage, or other incidental expenses related to relocation during repair, or any other costs due to loss of use, inconvenience, or annoyance;
- 11. Diminished market value of Your Home\*;
- 12. Any and all consequential loss or damage, including without limitation, any damage to property not covered by this warranty, any damage to personal property, any damage to property which **You** do not own, any bodily injury or personal injury of any kind, including physical or mental pain and suffering and emotional distress, and any medical or hospital expenses, or lost profits;
- 13. Any and all exclusions set forth in Section X (Construction Performance Guidelines);
- 14. Any Defect or Structural Defect first occurring after the applicable term of the Warranty expires.
- 15. Defects or Structural Defects that first occur or You knew about prior to the Effective Date of Warranty such as "walkthrough" or "punch list" items.

\*Homes With FHA/VA Financing Only – If You are the original owner and Your Home has original FHA/VA financing still in effect, "Diminished market value of the Your Home" is deleted.

### SECTION IX. MANUFACTURERS AND OTHER SIMILAR WARRANTIES.

Your warranty does not apply to any manufactured item such as appliances, fixtures, equipment (except as specifically defined in the Construction **Performance Guidelines**) or any other item which is covered by a manufacturer's warranty, nor does it cover **Defect** in any systems that are caused by failure of any such manufactured item.

Appliances and items of equipment not covered by this Limited Warranty include but are not limited to; air conditioning units, attic fans, boilers, burglar alarms, carbon monoxide detectors, ceiling fans, central vacuum systems, chimes, dishwashers, dryers, electric

meters, electronic air cleaners, exhaust fans, fire alarms, freezers, furnaces, garage door openers, garbage disposals, gas meters, gas or electric grills, heat exchangers, heat pumps, humidifiers, intercoms, outside lights or motion lights not attached to the Home, range hoods, ranges, refrigerators, sewage pumps, smoke detectors, solar panels, space heaters, sump pumps, thermostats, trash compactors, washers, water pumps, water softeners, water heaters, whirlpool baths, and whole-house fans. This warranty does not affect or limit in any way any manufacturer's warranty.

#### SECTION X. CONSTRUCTION PERFORMANCE GUIDELINES.

The following Construction **Performance Guidelines** apply only to the One Year Workmanship and Two Year Systems Warranty. The Construction **Performance Guidelines** are standards that **Your Builder/Seller's** construction should meet. Noncompliance with these construction guidelines calls for corrective action by **Your Builder/Seller**. **Builder/Seller** will try to its best ability to match and replace with **Your** original choice of colors and materials, except where **You** custom-ordered the items. **Builder/Seller** cannot be responsible for discontinued items, changes in dye lots, colors or patterns, or items ordered outside of the original construction, or normal wear and deterioration.

It is virtually impossible to develop Construction **Performance Guidelines** for each possible deficiency. Therefore, the construction industry and 2-10 HBW have attempted to identify the most common actual physical damage deficiencies that occur and also who has responsibility for the guideline, **Your Builder/Seller**, or **You**. Where a specific Construction **Performance Guidelines** 3rd Edition-Contractor Reference, National Association of Home Builders (NAHB), will apply. Copies of this publication may be special ordered through most book retailers, or purchased directly from the NAHB Bookstore by calling 1-800-223-2665. The NAHB Bookstore may also be reached online at www.BuilderBooks.com. If an item is not covered in that publication, locally accepted trade practices of the construction industry will be used.

.

. .

THIS PAGE INTENTIONALLY LEFT BLANK

ANK

in an ann ann an an 11 - Ann an Ann an 12 - Ann an Ann an Ann an 14 - Ann an 14 - Ann an An

## INDEX CONSTRUCTION PERFORMANCE GUIDELINES

## **1 YEAR WORKMANSHIP**

- 1. Site Work Page 13
- Grading Page 13
   Drainage Page 13
   Soil Erosion Page 13
   Grassed or Landscaped Areas Page 13
- Foundation and Concrete Page 14
   Cast-In Place Concrete Page 14

   Basement Floor Page 14
   Attached Garage Floor Slab Page 14
   Attached Patio Slab and Sidewalks Page 14
   Concrete Slab on Grade Floors Page 14
   Uneven Concrete Floor Slabs Page 14
   Interior Concrete, Pitting Scaling or Spalling Page 14
   Basement Floor, Efflorenscence Page 15
   Brick or Masonry Edging Page 15
   Stoops and Steps Page 15
- 2.2 Construction and Control Joints Page 15
- 3. Masonry Page 15
- 3.1 Unit Masonry (Brick, Block and Stone) Page 15 Concrete Block Basement Walls, Cracks - Page 15 Concrete Block Basement Walls, Bowed - Page 15
- 3.2 Stucco and Cement Plaster Page 15 Exterior Stucco Wall - Page 16
- 4. Carpentry Page 16
  4.1 Plywood and Joists Page 16 Wood Framed Floors, Uneven - Page 16 Walls or Ceilings, Bowed - Page 16 Wood Frame Walls, Plumb - Page 16 Wood Beam/Post, Split - Page 16 Exterior Sheathing and Sub-flooring - Page 16
- Wood Floor, Square Page 17 4.2 Finish Carpentry - Page 17 Exterior Trim - Page 17 Interior Trim - Page 17 Interior Trim, Split - Page 17 Interior Trim, Hammer Marks - Page 17
- Exposed Nail Heads, Woodwork Page 17
- 5. Thermal and Moisture Protection Page 17
- 5.1 Waterproofing Page 17
  Basement, Foundation, Crawl-space, Leaks Page 17
  5.2 Insulation Page 18
- Insufficient Insulation Page 18 Sound Transmission - Page 18
- 5.3 Ventilation and Noise Control Page 18 Crawl-Spaces, Inadequate Ventilation, Moisture Control - Page 18 Attics/Roofs, Inadequate Ventilation, Moisture Control - Page 18. Attic Vents/Louvers, Leak - Page 18
- Exhaust Fans, Bath/Kitchen, Vented Into Attic Page 19
- 5.4 Sealants Page 19
- 5.5 Exterior Siding Page 19

Siding, Delamination, Splitting, Deterioration - Page 19 Siding, Loose or Fallen - Page 19 Siding, Bowed - Page 19 Siding, Nails Stains - Page 19

- 5.6 Roofing Page 19 Roof or Flashing Leaks - Page 19 Roof Shingles, Blown Off - Page 20 Shingles, Defective - Page 20 Standing Water, Built-Up Roofs - Page 20
- 5.7 Sheet Metal Page 20 Gutters and Downspouts, Leak - Page 20 Gutter, Water Remains - Page 20
- 6. Doors and Windows Page 20
- 6.1 Doors, Interior/Exterior Page 20 Doors, Interior/Exterior, Warpage - Page 20 Doors, Binding, Does not lock - Page 20 Door Panels, Shrink - Page 20 Door Panels, Split - Page 21 Doors, Drag on carpet - Page 21 Doors, Interior, Excessive Opening - Page 21
- 6.2 Garage Doors (Attached Garage) Page 21 Garage Door, Operation and Fit - Page 21
- 6.3 Wood, Plastic and Metal Windows Page 21
   Window, Operation Page 21
   Windows, Double Hung, Do Not Stay Open Page 21
   Windows, Condensation/Frost Page 21
- 6.4 Hardware Page 22 Hardware, Operation - Page 22
- 6.5 Storm Doors, Windows and Screens Page 22 Storm Doors, Windows and Screens, Operation, Fit - Page 22
- 6.6 Weather-stripping and Seals Page 22 Doors and Windows, Drafts - Page 22
- 6.7 Glass and Glazing Page 22
  Insulated Glass, Clouding and Condensation Page 22
  7. Finishes Page 22
- 7.1 Lath and Plaster Page 22
  - Plaster Walls and Ceiling, Cracks Page 22
- 7.2 Drywall Page 22 Drywall, Nail pops, Blisters, Blemishes - Page 22 Drywall, Corner bead, Joint Compound, Trowel Marks, Blisters - Page 23
- 7.3 Hard Surfaces Page 23 Flooring, Broken, Loose - Page 23 Grouting, Cracks - Page 23
- 7.4 Resilient Flooring Page 23 Resilient Flooring, Nail Pops - Page 23 Resilient Flooring, Depressions or Ridges - Page 23 Resilient Flooring, Adhesion - Page 23 Resilient Flooring, Seams, Shrinkage - Page 23
- 7.5 Finished Wood Flooring Page 24 Wood Flooring, Cupping, Joints, Separation - Page 24
- 7.6 Painting Page 24
  Paint, Knot and Wood Stains Page 24
  Exterior Paint, Stain, Peels or Deteriorates Page 24
  Painting, Repair Work Page 24
  Painted Surfaces, Mildew or Fungus Page 24
  Lacquer, Varnish, Deterioration Page 25
  Paint, Interior Coverage Page 25
  Paint, Splatter, Smears Page 25
  7.7 Wall Covering Page 25
  Woll Covering Page 25
- Wall Covering, Peeling Page 25
  Wall Covering, Pattern Mismatched Page 25
  Wall Covering, Homeowner Installed, Lumps and Ridges Page 25
  7.8 Carpeting Page 25
  Carpet, Seams do not meet Paint 25

Carpet, Color Variations - Page 25

Carpet, Stretch, Loosen - Page 26 Specialities - Page 26

- Specialities Page 26
   Fireplaces Page 26
   Fireplace, Chimney, Operation Page 26
   Chimney, Separation Page 26
   Hearth, Cracks Page 26
- 9. Cabinets and Vanities Page 26
- 9.1 Kitchen Cabinets and Vanities Page 26 Cabinet Doors, Drawers, Bind - Page 26 Cabinet Doors, Drawers Warping - Page 26 Cabinets, Gaps - Page 27
- 9.2 Countertops Page 27
- Countertops, Surface Cracks, De-lamination Page 27 10. Mechanical - Page 27
- 10.1 Plumbing Page 27
   Faucet, Valve, Leak Page 27
   Plumbing Fixtures, Fittings, Appliances Defective Page 27
- 10.2 Water Supply Page 27 Plumbing, Fixtures, Staining - Page 27 Water Pipes, Noisy - Page 27
- 10.3 Heating and Air Conditioning- Page 27 Heat Inadequate - Page 27 Cooling Inadequate - Page 28 Ductwork, Heating Piping, Insulation - Page 28 Condensation Lines, Clog - Page 28 Evaporative Cooling, Operation - Page 28 Ductwork, Noise - Page 28 Ductwork, Oil Canning - Page 28
- Electrical Components Page 28
   Switches and Receptacles Page 28
   Electrical Outlets, Drafts Page 28
   Electrical outlets, Switches, Fixtures Malfunction Page 29
   Light Fixture, Tarnish Page 29
- 11.2 Service and Distribution Page 29 Ground Fault Interrupter (GFCI) Trips - Page 29

## **2 YEAR SYSTEMS**

- 12. Mechanical Page 29
  12.1 Septic Tank Systems Page 29 Septic Tank, Operation - Page 29
  12.2 Plumbing - Page 30 Plumbing Pipes, Freeze - Page 30 Sanitary Sewers, Waster, Drain Lines Clog - Page 30
  12.3 Water Supply - Page 30 Water Supply, Fails - Page 30
  12.4 Heating and Air Conditioning - Page 30 Refrigerant Lines, Leak - Page 30 Ductwork, Separates - Page 30
  13. Electrical System - Page 31
  12.1 Electrical System - Page 31
- 13.1 Electrical Conductors Page 31 Wiring, Designed Load, Failure - Page 31

12

### ITEMS COVERED UNDER THE 1-YEAR WORKMANSHIP COVERAGE

#### DEFICIENCY

### CONSTRUCTION PERFORMANCE GUIDELINES

## BUILDER/SELLER/ WARRANTOR RESPONSIBILITY

### **EXCLUSION**

## 1. Site Work

#### 1.1 Grading

Settling of ground around foundation, utility trenches or other areas on the property where excavation and backfill have taken place that affect drainage away from Home. Settling of ground around foundation walls, utility trenches or other filled areas that exceeds a maximum of six inches from finished grade established by Builder/Seller. If Builder/Seller has provided final grading, Builder/Seller shall fill settled areas affecting proper drainage, one time only, during the first year Warranty Term. You are responsible for removal and replacement of shrubs and other landscaping affected by placement of the fill.

#### 1.2 Drainage

Improper surface drainage.

Necessary grades and swales shall be established to provide proper drainage away from the Home. Site drainage, under the Limited Warranty, is limited to grades within 10-feet and swales within 20-feet of the foundation of the Home. Standing or ponding water shall not remain in these areas for a period longer than 24-hours after a rain, except in swales that drain from adjoining properties or where a sump pump discharges. In these areas an extended period of 48-hours is to be allowed for water to dissipate. The possibility of standing water after an unusually heavy rainfall should be anticipated and is not to be considered a deficiency. No grading determination is to be made while there is frost or snow or when the ground is saturated.

Builder/Seller is only responsible for initially establishing the proper grades, swales and drainage away from Home. You are responsible for maintaining such grades and swales once constructed by the Builder/Seller. Builder/Seller is not responsible for drainage deficiencies attributable to grading requirements imposed by state, county, or local governing agencies. Standing or ponding water outside of defined swales and beyond 10-feet from the foundation of the Home, or that is within 10-feet but is caused by unusual grade conditions, or retention of tree areas, is not considered a deficiency. Standing or ponding water caused by changes in the grade or placement of sod, fencing, or any other obstructions by You are excluded from Limited Warranty coverage.

Soil Erosion

NONE. NO COVERAGE.

NONE. Builder/Seller is not responsible for soil erosion due to acts of God or other conditions beyond the Builder/ Seller's control.

Grassed or landscaped areas, which are disturbed or damaged due to work performed by Builder/Seller on the property in correcting a deficiency. Landscaped areas that are disturbed during repair work are deficiencies.

Restore grades, seed and landscape to meet original condition.

Builder/Seller is not responsible for grassed or landscaped areas which are damaged by others, including any work performed by public or private utility companies. Soil erosion and runoff caused by failure of You to maintain the properly established grades, drainage structures and swales; stabilized soil, sodded, seeded and landscaped areas; are excluded from Limited Warranty coverage.

Replacement of trees and large bushes that existed at the time Home was constructed or those added by You after occupancy or those that subsequently die are excluded from Limited Warranty coverage.

| <b>ITEMS COVERED UNDER THE 1-YEAR WORKMANSHIP COVERAGE</b> | ITEMS | s covered und | R THE 1-YEAR | WORKMANSHIP | COVERAGE |
|--|-------|---------------|--------------|-------------|----------|
|--|-------|---------------|--------------|-------------|----------|

## DEFICIENCY

### CONSTRUCTION PERFORMANCE GUIDELINES

## BUILDER/SELLER/ WARRANTOR RESPONSIBILITY

## EXCLUSION

2. Foundation and Concrete

2.1 Cast-In Place Concrete Basement or foundation wall cracks, other than expansion or control joints.

Concrete cracks greater than 1/4-inch in width, or which allow exterior water to leak into basement, are deficiencies.

Minor cracks in concrete

basement floors are common.

Cracks exceeding 1/4-inch in

width or 3/16-inch in vertical

displacement are deficiencies.

floor greater than 3/16-inch in

width or 3/16-inch in vertical

displacement are deficiencies.

Cracks in concrete garage

Cracking of basement floor.

Cracking of attached garage floor slab.

Cracks in attached patio slab and sidewalks.

Cracks in concrete slab-on-grade floors, with finish flooring.

Uneven concrete floor slabs.

Interior concrete work is pitting, scaling, or spalling.

NONE, NO COVERAGE.

Cracks that rupture or significantly impair the appearance or performance of the finish flooring material are deficiencies.

Except for basement floors or where a floor or a portion of floor has been designed for specific drainage purposes, concrete floors in rooms finished for habitability by Builder/Seller shall not have pits, depressions or area or unevenness exceeding 3/8inch in 32-inches.

Interior concrete surfaces that disintegrate to the extent that aggregate is exposed and loosened under normal conditions of use are deficiencies. Repair non-structural cracks by surface patching. These repairs should be made toward the end of the first year of Limited Warranty coverage to permit normal stabilizing of the Home by settling.

Repair cracks exceeding maximum tolerance by surface patching or other methods, as required.

Builder/Seller shall repair excessive cracks in the slab by filling, chipping out and surface patching, or other suitable method to meet the Construction Performance Guideline. Repaired area may not match the existing floor in color and texture.

· · ·

NONE.

Repair cracks as required so as not to be apparent when the finish flooring material is in place. Repair or replace finish flooring.

Repair/replace to meet the Construction Performance Guidelines. Where applicable, surface patching is an accepted method of repair. Reinstall or replace any finish flooring material as necessary.

Builder/Seller shall take whatever corrective action is necessary to repair or replace defective concrete surfaces. Shrinkage cracks are not unusual and are inherent in the concrete curing process.

Builder/Seller is not responsible for cracking or deterioration caused by the storage of unusually heavy equipment or placement of excessive loads that exceed the weight of a typical automobile or light truck, or by other factors beyond the Builder/Seller's control. Movement and the resulting cracking may be minimized by good drainage, proper installation of landscaping and suitable maintenance.

NO COVERAGE is provided for this element under the Limited Warranty.

Builder/Seller is not responsible for deterioration caused by salt, chemicals, mechanical implements, or other factors beyond the Builder/Seller's control.

| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY   | EXCLUSION   |
|--|---|--|---|
| Efflorescence is present on surface of basement floor.   | NONE. NO COVERAGE.  | NONE. This is a normal condition.  |   |
| Separation of brick or masonry<br>edging from concrete slab or<br>step.  | It is common for the joint to<br>crack between concrete and<br>masonry due to the dissimilarity<br>of the materials. Cracks in excess<br>of 1/4-inch are a deficiency.  | Grout crack fully and reset<br>loose masonry where required.<br>Replacement of masonry<br>material, if required, shall<br>match the existing as closely<br>as possible.  |   |
| Cracking, settling or heaving of stoops and steps.   | Stoops and steps that have<br>settled, heaved, or separated in<br>excess of 1-inch from Home are a<br>deficiency.   | Builder/Seller will make a reasonable and cost effective effort to meet the Construction Performance Guideline.  |   |
| 2.2 Construction<br>and Control Joints<br>Separation or movement<br>of concrete slabs within the<br>structure at construction<br>and control joints. | NONE. NO COVERAGE.  | NONE.  | Concrete slabs within the<br>structure are designed to move<br>at construction and control joint<br>and are not deficiencies. You are<br>responsible for maintenance of |
|  |   |  | joint material.   |
| 3. Masonry   |   |  |   |
| 3.1 Unit Masonry<br>(Brick, Block and Stone)<br>Cracks in masonry, brick, or stone<br>veneer.  | Small hairline cracks resulting<br>from shrinkage are common<br>in mortar joints of masonry<br>construction. Cracks greater<br>than 1/4-inch in width or are<br>visible from a distance in excess<br>of 20-feet are deficiencies. | Builder/Seller will repair cracks<br>that exceed 1/4-inch by tuck<br>pointing and patching. These<br>repairs should be made toward<br>the end of the first year of<br>Limited Warranty coverage to<br>permit Home to stabilize and<br>normal settlement to occur.<br>Builder/Seller is not responsible<br>for color variations between<br>existing and new mortar. |   |
| Cracks in concrete block<br>basement walls.  | Small shrinkage cracks that do<br>not affect the structural ability<br>of masonry foundation walls are<br>not unusual. Cracks 1/4-inch or<br>greater in width are<br>deficiencies.  | Builder/Seller shall investigate to<br>determine cause. Builder/Seller<br>shall take the necessary steps<br>to remove the cause and make<br>repairs by pointing and patching,<br>reinforcement or replacement of<br>the defective courses.   |   |
| Concrete block basement wall is bowed.   | Block concrete walls shall not<br>bow in excess of 1-inch in 8 feet<br>when measured from the base to<br>the top of the wall.   | Builder/Seller shall repair<br>basement walls that are bowed<br>in excess of 1-inch in 8 feet.   |   |
| 3.2 Stucco & Cement Plaster<br>Cracking or spalling of stucco and<br>cement plaster.   | Hairline cracks in stucco or<br>cement plaster are common<br>especially if applied directly<br>to masonry back-up. Cracks<br>greater than 1/8 inch in width or<br>spalling of the finish surfaces are<br>deficiencies.            | Scrape out cracks and spalled<br>areas, one time only during the<br>first year warranty term. Fill with<br>cement plaster or stucco<br>to match finish and color as close<br>as possible.  | Builder/Seller is not responsible<br>for failure to match color<br>or texture, due to nature of<br>material.  |

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION   |
|---|---|---|---|
| Separation of coating from base on exterior stucco wall.              | The coating shall not separate from the base on an exterior stucco wall.  | Builder/Seller shall repair areas<br>where the coating has separated<br>from the base.  | Builder/Seller is not responsible<br>for failure to match color or<br>texture due to the nature of the<br>material.   |
| 4. Carpentry and Framing  |   |   |   |
| 4.1 Plywood and Joists  | Loud and objectionable<br>squeaks caused by improper<br>installation or loose subfloor<br>are deficiencies, but a totally<br>squeakproof floor cannot be<br>guaranteed.   | Builder/Seller will refasten any<br>loose subfloor or take other<br>corrective action to reduce<br>squeaking to the extent<br>possible within reasonable repair<br>capability without removing floor<br>and ceiling finishes. | Floor squeaks may occur when<br>a subfloor that has come loose<br>from the joists is deflected by<br>the weight of a person and rubs<br>against the nails that hold it in<br>place. Squeaks may also occur<br>when one joist is deflected<br>while the other members<br>remain stationary. Because<br>the Construction Performance<br>Guidelines requires the Builder/<br>Seller to make a reasonable<br>attempt to eliminate squeaks<br>without requiring removal of<br>floor and ceiling finishes, nailing<br>loose subflooring with casing<br>nails into the carpet surface and<br>countersinking the head is an<br>acceptable practice. |
| Uneven wood framed floors.  | Wood floors shall not have<br>more than a 1/4-inch ridge or<br>depression within any<br>32-inch measurement.  | Correct or repair to meet the<br>Construction Performance<br>Guidelines.  |   |
| Bowed stud walls or ceilings.   | All interior and exterior frame<br>walls or ceilings have slight<br>variations on the finish surfaces.<br>Walls or ceilings that are bowed<br>more than 1/2-inch within a<br>32-inch horizontal measurement;<br>or 1/2-inch within any 8-foot<br>vertical measurement, are<br>deficiencies.           | Exterior and interior frame walls<br>or ceilings bowed in excess of<br>the allowable standard shall<br>be corrected to meet the<br>allowances of the Construction<br>Performance Guidelines.                                  |   |
| Wood frame walls out of plumb.  | Wood frame walls that are<br>more than 3/8-inch out of<br>plumb for any 32-inch vertical<br>measurement are a deficiency.   | Make necessary repairs to meet the Construction Performance Guidelines.   |   |
| Wood beam or post is split.   | Beams or posts, especially<br>those 2 1/2-inches or greater<br>in thickness, will sometimes<br>split as they dry subsequent<br>to construction. Unfilled splits<br>exceeding 1/4-inch in width and<br>all splits exceeding 3/8-inch in<br>width and more than 4 inches<br>in length are deficiencies. | Builder/Seller shall repair or<br>replace as required. Filling splits<br>is acceptable for<br>widths up to 3/8-inch.  | Some characteristics of drying<br>wood are beyond the control<br>of the builder and cannot be<br>prevented.   |
| Exterior sheathing and<br>subflooring which<br>delaminates or swells. | Sheathing and subflooring<br>delaminating or swelling on the<br>side that the finish material has<br>been applied is a deficiency.  | Builder/Seller shall repair or<br>replace subflooring or sheathing<br>as required. Replacement of the<br>finish materials, when necessary,<br>shall be done to match the<br>existing finish as closely as                     |   |

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY   | EXCLUSION  |
|---|---|--|--|
| Wood floor is out of square.  | The diagonal of a triangle with<br>sides of 12-feet and 16-feet along<br>the edges of the floor shall be 20-<br>feet plus or minus 1/2-inch.  | Builder/Seller shall make necessar<br>modifications to any floor not<br>complying with the Construction<br>Performance Guidelines.   | y  |
| <b>4.2 Finish Carpentry</b><br>Unsatisfactory quality of finished<br>exterior trim and workmanship. | Joints between exterior trim<br>elements and siding or masonry,<br>which are in excess of 1/4-inch,<br>are deficiencies. In all cases,<br>the exterior trim abutting<br>masonry siding shall be capable<br>of performing its function to<br>exclude the elements. | Repair open joints and touch<br>up finish coating where<br>required to match existing<br>as closely as possible. Caulk<br>open joints between dissimilar<br>materials.   |  |
| Unsatisfactory quality of finished interior trim and workmanship.                                   | Joints between moldings<br>and adjacent surfaces that<br>exceed 1/8-inch in width are<br>deficiencies.  | Repair defective joints and<br>touch up finish coating where<br>required to match as closely as<br>possible. Caulking is acceptable.   |  |
| Interior trim is split.   | NONE. NO COVERAGE.  | NONE.  | Splits, cracks, and checking are<br>inherent characteristics of all<br>wood products, and are not<br>considered deficiencies.  |
| Hammer marks visible on interior<br>trim.   | Hammer marks on interior trim<br>shall not be readily visible from a<br>distance of 6 feet under normal<br>lighting conditions.   | Builder/Seller shall fill hammer<br>marks and refinish or replace<br>affected trim to meet the<br>Construction Performance<br>Guidelines. Refinished or<br>replaced areas may not match  |  |
|   |   | surrounding areas exactly.   |  |
| Exposed nail heads in woodwork.   | Setting nails and filling nail holes<br>are considered part of painting<br>and finishing. After painting or<br>finishing, nails and nail holes<br>shall not be readily visible from a<br>distance of 6 feet under normal<br>lighting conditions.                  | Fill nail holes where required<br>and if necessary, touch up paint,<br>stain, or varnish to match as<br>closely as possible.   | Nail holes do not have to be<br>filled where the surface finish is<br>not conducive or so designed to<br>have nail holes filled because of<br>the product. Nail holes in base<br>and trim in unfinished rooms or<br>closets do not have to be filled.                      |
| 5. Thermal and Moisture Pro   | tection   |  |  |
| 5.1 Waterproofing<br>Leaks in basement or in<br>foundation/crawl space.                             | Leaks resulting in actual trickling<br>of water through the walls or<br>seeping through the floor are<br>deficiencies.  | Take such action as is necessary<br>to correct basement and crawl<br>space leaks, except where the<br>cause is determined to be the<br>result of Your negligence. Where<br>a sump pit has been installed<br>by Builder/Seller in the affected<br>area but the sump pump was<br>not contracted for or installed | Leaks caused by landscaping<br>improperly installed by You<br>or failure by You to maintain<br>proper grades are excluded<br>from Limited Warranty<br>coverage. Dampness in<br>basement and foundation<br>walls or in concrete basement<br>and crawl space floors is often |
|   |   | by Builder/Seller, no action is<br>required until a properly sized<br>pump is installed by You in an<br>attempt to correct the condition.<br>Should the condition continue<br>to exist, then Builder/Seller shall<br>take necessary action to correct  | common to new construction<br>and is not a deficiency.   |

| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION  |
|--|--|---|--|
| <b>5.2 Insulation</b><br>Insufficient insulation.  | Insulation that is not installed<br>around all habitable areas in<br>accordance with established local<br>industry standards is<br>a deficiency.   | Builder/Seller shall install<br>insulation of sufficient<br>thickness and characteristics<br>to meet the local industry<br>standards. In the case of<br>dispute, cost for investigating<br>the sufficiency of insulation<br>and restoring areas to prior<br>condition is to be borne by<br>You if it is found that the<br>standard has been met by<br>Builder/Seller. |  |
| Sound transmission between<br>rooms,floor levels, adjoining<br>condominium units in a building,<br>or from the street into Home. | NONE. NO COVERAGE.   | NONE. NO COVERAGE.  | NO COVERAGE is provided<br>for soundproofing.  |
| 5.3 Ventiliation and<br>Moisture Control<br>Inadequate ventilation or<br>moisture control in crawl spaces.                       | Crawl spaces shall have adequate<br>ventilation to remove moisture<br>or other approved method of<br>moisture control. Ventilation or<br>other moisture control methods<br>shall be considered inadequate<br>if there is damage to supporting<br>members or insulation due to<br>moisture accumulation.        | Builder/Seller shall investigate<br>to determine cause, and make<br>necessary repairs. Corrective<br>action may include the<br>installation of properly sized<br>louvers, vents, vapor barrier,<br>or other locally<br>approved method of moisture<br>control.  | Temporary conditions may<br>cause condensation in crawl<br>spaces that can not be<br>eliminated by ventilation<br>and/or vapor barrier. Night<br>air may cool foundation walls<br>and provide a cool surface<br>on which moisture may<br>condense. In Homes that are<br>left unheated in the winter,<br>the underside of floors may<br>provide a cold surface<br>on which warmer crawl space<br>air may condense. These and<br>other similar conditions are<br>beyond the Builder/ Seller's<br>control. Maintaining adequate<br>heat and seasonal adjustment<br>of vents is Your responsibility. |
| Inadequate ventilation or<br>moisture control in attics<br>or roofs.   | Attics or roofs shall have<br>adequate ventilation to remove<br>moisture, or other approved<br>method of moisture control.<br>Ventilation or other moisture<br>control methods shall be<br>considered inadequate if there is<br>damage to supporting members<br>or insulation due to moisture<br>accumulation. | Builder/Seller shall investigate<br>to determine cause, and make<br>necessary repairs. Corrective<br>action may include<br>the installation of properly<br>sized louvers, vents, vapor<br>retarder, or other locally<br>approved method of moisture<br>control.   | You are responsible for<br>keeping existing vents<br>unobstructed.<br>Locally approved and<br>properly constructed "hot<br>roof" or other alternative<br>roof designs may not<br>require ventilation, and<br>where there is no evidence<br>of moisture damage to<br>supporting members<br>or insulation, are not<br>deficiencies.  |
| Attic vents or louvers leak.   | Attic vents and louvers shall not leak.  | Builder/Seller shall repair<br>or replace the roof vents<br>as necessary to meet the<br>Construction Performance<br>Guidelines.   | Infiltration of wind-driven<br>rain and snow are not<br>considered leaks and are<br>beyond the control of<br>the Builder/Seller.   |

| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY   | EXCLUSION   |
|--|---|--|---|
| Bath or kitchen exhaust fans<br>Improperly vented into attic.                              | Bath or kitchen exhaust fans that<br>are vented into attics causing<br>moisture to accumulate resulting<br>in damage to supporting<br>members or insulation, are<br>deficiencies. | Builder/Seller shall vent<br>exhaust fans to<br>the outside to correct<br>deficiencies.  | nee Hood warm hours and an  |
| <b>5.4 Sealants</b><br>Water or air leaks in exterior<br>walls due to inadequate caulking. | Joints and cracks in exterior wall<br>surfaces and around openings<br>that are not properly caulked<br>to exclude the entry of water or<br>excessive drafts are a deficiency.     | Repair and/or caulk joints<br>in exterior wall surfaces as<br>required to correct<br>deficiency one time only<br>during the first year of Limited<br>Warranty coverage.  | You must maintain caulking<br>once the condition is<br>corrected.   |
| 5.5 Exterior Siding<br>Delamination, splitting or<br>deterioration of exterior siding.     | Exterior siding that delaminates,<br>splits or deteriorates is a<br>deficiency.   | Repair/replace only the<br>damaged siding. Siding to<br>match the original as closely<br>as possible, however, You<br>should be aware that the new<br>finish may not exactly<br>match the original surface<br>texture or color.  | Delaminated siding due to<br>Your actions or neglect, such<br>as delamination caused<br>by sprinkler system repeatedly<br>wetting siding, is not a<br>deficiency.                                   |
| Loose or fallen siding.  | All siding that is not installed<br>properly, which causes same<br>to come loose or fall off, is a<br>deficiency.   | Reinstall or replace siding and make it secure.  | Loose or fallen siding due to<br>Your actions or neglect, such<br>as leaning heavy objects<br>against siding, impact, or<br>sprinkler systems repeatedly<br>wetting siding, is not a<br>deficiency. |
| Siding is bowed.   | Bows exceeding 1/2-inch in 32-inches are deficiencies.  | Builder/Seller will repair<br>bowed siding to meet<br>standard. If replacement of<br>siding is required, Builder/<br>Seller will match original<br>material as closely as possible.<br>You should be aware that the<br>new finish may not exactly<br>match the original surface<br>texture or color.     | Bowed siding due to Your<br>actions or neglect, such as<br>bowing caused by sprinkler<br>system repeatedly wetting<br>siding, is not a deficiency.  |
| Nalls have stained siding.   | Nail stains exceeding 1/2-inch in<br>length and visible from a distance<br>of 20-feet are<br>deficiencies.  | Builder/Seller shall correct by<br>either removing stains, painting,<br>or staining the affected area.<br>Builder/Seller shall match color<br>and finish as closely as possible.<br>Where paint or stain touch up<br>affects the majority of the wall<br>surface, the whole area shall be<br>refinished. | "Natural weathering" or<br>semitransparent stains are<br>excluded from coverage.  |
| <b>5.6 Roofing</b><br>Roof or flashing leaks.  | Roof or flashing leaks that<br>occur under normal weather<br>conditions are deficiencies.   | Correct any roof or flashing<br>leaks that are verified to<br>have occurred under normal<br>weather conditions.  | Where cause of leaks is<br>determined to result from<br>severe weather conditions<br>such as ice and snow build-up,<br>high winds and driven rains,<br>such leaks are not deficiencies.             |

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION   |
|---|---|---|---|
| Roof shingles have blown off.   | Shingles shall not blow<br>off in winds less than the<br>manufacturer's standards or<br>specifications.   | Builder/Seller will replace<br>shingles that blow off in winds<br>less than the manufacturer's<br>standards or specifications<br>only if improper installation is<br>shown to be the cause. | Shingles that blow off in wind<br>less than the manufacturer's<br>standards or<br>specifications due to a<br>manufacturing defect<br>in the shingles are the<br>manufacturer's responsibility.<br>Shingles that blow off in<br>hurricanes, tornadoes,<br>hailstorms, or winds, including<br>gusts greater than 60 miles<br>per hour, are not deficiencies.<br>You should consult shingle<br>manufacturer's warranty<br>for specifications, standards,<br>and manufacturer's warranty<br>responsibility if shingles blow<br>off in higher wind speeds. |
| Defective shingles.   | NONE. NO COVERAGE.  | NONE.   | Manufacturing defects in<br>shingles are not covered<br>under the Limited Warranty.<br>You should consult shingle<br>manufacturer's warranty<br>for specifications, standards,<br>and manufacturer's warranty<br>responsibility.  |
| Standing water on built-up roofs.   | Water shall drain from a flat or<br>low pitched roof within 24-hours<br>of a rainfall.  | Builder/Seller will take<br>corrective action to assure<br>proper drainage of the roof.   | Minor ponding or standing<br>of water is not considered a<br>deficiency.  |
| .7 Sheet Metal<br>Gutters and downspouts leak.                                  | Gutters and downspouts that<br>leak are deficiencies.   | Repair leaks in gutters and downspouts.   |   |
| Water remains in gutters after<br>a rain.                                       | Small amounts of water may<br>remain in some sections of gutter<br>for a short time after a rain.<br>Standing water in gutters shall<br>not exceed 1/2-inch in depth.   | Builder/Seller will repair<br>gutters to assure proper<br>drainage.   | You are responsible for<br>keeping gutters and<br>downspouts free from debris<br>that would obstruct drainage.  |
| 5. Doors and Windows  |   |   |   |
| 5.1 Doors:<br>nterior and Exterior<br>Warpage of interior or exterior<br>doors. | Interior and exterior doors that warp<br>so as to prevent normal closing and<br>fit are deficiencies. The maximum<br>allowable warpage of an interior<br>door is 1/4-inch when measured<br>from corner to corner. | Repair or replace as may be<br>required. New doors to be<br>refinished to match the<br>original as closely as possible.   |   |
| Door binds against jamb or head of frame or does not lock.                      | Passage doors that do not open and<br>close freely without binding against<br>the doorframe are deficiencies. Lock<br>bolt is to fit the keeper to maintain a<br>closed position.                                 |   | Wood doors may stick during occasional periods of high humidity.  |
| Door panels shrink and expose<br>bare wood.                                     | NONE.   | NONE.   | Door panels will shrink due<br>to the nature of the material,<br>exposing bare wood at the<br>edges and are not deficiencies  |

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION  |
|---|--|---|--|
| Door panels split.  | Door panels that have split to<br>allow light to be visible through<br>the door are deficiencies.  | If light is visible, fill crack<br>and finish panel to match as<br>closely as possible. Correct<br>one time only during first year<br>of Limited Warranty coverage.                                       |  |
| Bottom of doors drag on carpet surface.   | Where it is understood by<br>Builder/Seller and You carpet is<br>planned to be installed<br>as floor finish by Builder/<br>Seller, the bottom of the doors<br>which drag on the carpet are<br>deficiencies.  | Undercut doors as required.   | Where carpet is selected by<br>You having excessive high pile<br>You are responsible for any<br>additional door undercutting   |
| Excessive opening at the bottom of interior doors.  | Passage doors from room<br>to room that have openings<br>between the bottom of<br>the door and the floor finish<br>material in excess of 1 1/2-inches<br>are deficiencies.<br>Closet doors having an<br>opening in excess of<br>2-inches are deficiencies.   | Make necessary adjustment<br>or replace door to meet the<br>required tolerance.   |  |
| 2 Garage Doors  |  |   |  |
| Attached Garage)<br>Garage door fails to operate or fit<br>properly.  | Garage door fails to operate or<br>Garage doors that do not operate<br>and fit the door opening within<br>the manufacturer's installation<br>tolerances are deficiencies.<br>Some entrance of the elements<br>can be expected under heavy<br>weather conditions and is not<br>considered a deficiency. | Make necessary adjustments<br>to meet the manufacturer's<br>installation tolerances.  | No adjustment is required<br>when cause is determined<br>to result from anyone but<br>Builder/Seller's or Builder/<br>Seller's subcontractors'<br>installation of an electric door<br>opener.                |
| <b>3 Wood, Plastic and Metal</b><br><b>indows Interior and Exterior</b><br>Window is difficult to open<br>or close. | Windows should require no greater<br>operating force than that described<br>in the manufacturer's specifications.  | Builder/Seller shall correct<br>or repair as required to meet<br>manufacturer's specifications.   |  |
| Double hung windows do not<br>stay in place when open.  | Double hung windows are<br>permitted to move within a two<br>inch tolerance, up or down when<br>put in an open position. Any<br>excessive movement exceeding<br>the tolerance is a deficiency.   | Adjust sash balances one time<br>only during the first year of<br>Limited Warranty coverage.<br>Where possible, Builder/<br>Seller will instruct You on the<br>method of adjustment for<br>future repair. |  |
| Condensation or frost on window<br>frames and glass.  | NONE.  | NONE.   | Window glass and frames will<br>collect condensation on the<br>frame and glass surface when<br>humidity and temperature<br>differences are present.<br>Condensation is usually<br>the result of temperature/ |

21

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION  |
|---|--|---|--|
| <b>6.4 Hardware</b><br>A doorknob, deadbolt, or lockset<br>does not operate smoothly.                             | A doorknob, deadbolt, or lockset<br>should not stick or bind during<br>operation.  | Builder/Seller will adjust,<br>repair, or replace knobs that<br>are not damaged by abuse,<br>one time only during the first<br>year Warranty Term.  |  |
| 6.5 Storm Doors, Windows<br>and Screens<br>Storm doors, windows and<br>screens do not operate or<br>fit properly. | Storm doors, windows and<br>screens, when installed, which<br>do not operate or fit properly to<br>provide the protection for<br>which they are intended, are<br>considered deficiencies.        | Builder/Seller shall make<br>necessary adjustments for<br>proper fit and operation.<br>Replace when adjustment<br>cannot be made.   | Missing screens, rips or<br>gouges in the screen mesh are<br>not covered by this Limited<br>Warranty.  |
| 6.6 Weatherstripping<br>and Seals<br>Drafts around doors and<br>windows.  | Some infiltration is usually<br>noticeable around doors and<br>windows, especially during high<br>winds. No daylight shall be<br>visible around frame when<br>window or exterior door is closed. | Builder/Seller shall repair<br>to meet Construction<br>Performance Guidelines.  | In high wind areas, You may<br>need to have storm windows<br>and doors installed to<br>eliminate drafts.   |
| <b>6.7 Glass and Glazing</b><br>Clouding and condensation on<br>inside surfaces of insulated glass.               | Insulated glass that clouds up<br>or has condensation on the<br>inside surfaces of the glass is a<br>deficiency.   | Builder/Seller shall replace glass<br>in accordance with window<br>and glass manufacturer's<br>requirements.  | Glass breakage is excluded.  |
| 7. Finishes   |  |   |  |
| 7.1 Lath and Plaster<br>Cracks in plaster wall and<br>ceiling surfaces.   | Hairline cracks are not unusual.<br>Cracks in plaster wall and ceiling<br>surfaces exceeding 1/16-inch in<br>width are deficiencies.   | Builder/Seller shall repair cracks<br>that are greater than 1/16-inch in<br>width and touch up paint to match<br>as closely as possible, one time only.<br>Such conditions should be reported<br>near the end of the first year of<br>Limited Warranty coverage to allow<br>for normal movement in Home.    |  |
| 7.2 Drywall<br>Drywall cracks.  | Hairline cracks are not unusual.<br>Cracks in interior gypsum board<br>or other drywall materials<br>exceeding 1/16-inch in width are<br>deficiencies.   | Builder/Seller shall repair cracks<br>that are greater than 1/16-inch<br>in width and touch up paint to<br>match as closely as possible,<br>one time only. Such conditions<br>should be reported near the<br>end of the first year of Limited<br>Warranty coverage to allow for<br>normal movement in Home. |  |
| Nail pops, blisters, or other<br>blemish is visible on finished wall<br>or ceiling.                               | Nail pops and blisters that are<br>readily visible from a distance<br>of 6 feet under normal lighting<br>conditions are deficiencies.  | Builder/Seller will repair such<br>blemishes, and touch up paint to<br>match as closely as possible, one<br>time only. Such conditions should<br>be reported near the end of the<br>first year of Limited Warranty<br>coverage to allow for normal<br>settlement of the Home.                               | Depressions or slight<br>mounds at nail heads are not<br>considered deficiencies.<br>Builder/Seller is not<br>responsible for nail pops or<br>blisters that are not visible,<br>such as those covered by<br>wallpaper. |

| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION  |
|--|--|---|--|
| Cracked corner bead, excess joint<br>compound, trowel marks, or<br>blisters in tape joints.  | Cracked or exposed corner<br>bead, trowel marks, excess joint<br>compound, or blisters in drywall<br>tape, are deficiencies.   | Builder/Seller will repair to meet Co<br>Performance Guidelines, and touch<br>match as closely as possible, one th<br>conditions should be reported near<br>the first year of Limited Warranty co<br>allow for normal settlement of the   | up paint to<br>ne only. Such<br>the end of<br>overage to   |
| 7.3 Hard Surfaces<br>Flagstone, Marble, Quarry Tile,<br>Slate, or other hard surface<br>flooring is broken or loose.                       | Tile, flagstone, or similar hard<br>surfaced sanitary flooring that<br>cracks or becomes loose is a<br>deficiency. Subfloor and<br>wallboard are required to be<br>structurally sound, rigid, and<br>suitable to receive finish.   | Builder/Seller shall replace<br>cracked tiles, marble, or stone<br>and resecure loose tiles,<br>marble, or stone flooring.  | Cracking and loosening of<br>flooring caused by Your<br>negligence is not a deficiency<br>Builder/Seller is not<br>responsible for color<br>and pattern variations or<br>discontinued patterns of<br>the manufacturer.   |
| Cracks appear in grouting of<br>ceramic tile joints or at junctions<br>with other<br>material such as a bathtub,<br>shower, or countertop. | Cracks in grouting of ceramic<br>tile joints in excess of 1/16-inch<br>are deficiencies. Regrouting of<br>these cracks is Your maintenance<br>responsibility after the Builder/<br>Seller has regrouted once.  | Builder/Seller shall repair<br>grouting as necessary one<br>time only within the first<br>year of Limited Warranty<br>coverage.   | Open cracks or loose<br>grouting, where the wall<br>surface abuts the flashing<br>lip at a tub, shower basin, or<br>countertop are considered<br>Your maintenance and any<br>resultant damage to other<br>finish surfaces due to leaks,<br>etc. are not considered |
|  | and the second   |   | deficiencies.  |
| <b>4 Resilient Flooring</b><br>Nail pops appear on the surface of<br>resilient flooring.   | Readily apparent nail pops are deficiencies.   | Builder/Seller shall correct nail<br>pops that have caused damage to<br>the floor material and repair or<br>replace damaged floor covering in<br>the affected area. Builder/Seller is<br>not responsible for discontinued<br>patterns or color variations.  |  |
| Depressions or ridges appear<br>in the resilient flooring due to<br>subfloor irregularities.   | Readily apparent depressions<br>or ridges exceeding 1/8-inch<br>are a deficiency. The ridge or<br>depression measurement is<br>taken as the gap created at one<br>end of a 6-inch straight edge<br>placed over the depression or<br>ridge with 3-inches on one<br>side of the deficiency held tightly<br>to the floor. | Builder/Seller shall take required<br>action to bring the deficiency<br>within acceptable tolerances<br>so as to be not readily visible.<br>Builder/Seller is not responsible<br>for discontinued patterns or<br>color variations in the floor<br>covering, Your neglect or abuse,<br>nor installations performed by<br>others. |  |
| Resilient flooring or base<br>oses adhesion.   | Resilient flooring or base that<br>lifts, bubbles, or becomes<br>unglued is a deficiency.  | Builder/Seller shall repair or<br>replace resilient flooring or base<br>as required. Builder/Seller is not<br>responsible for discontinued<br>patterns or color variations.   | · · ·  |
|  | Gaps in excess of 1/32-inch in<br>width in resilient floor covering<br>joints are deficiencies. Where<br>dissimilar materials abut, a gap in<br>excess of 1/8-inch is a deficiency.  | Builder/Seller shall repair or replace<br>the resilient flooring to meet the<br>Construction Performance Guidelines.<br>Builder/Seller is not responsible<br>for discontinued patterns or color<br>variations of floor covering. Proper<br>repair can be affected by sealing gap  |  |

HBW\_307\_071512

### **ITEMS COVERED UNDER THE 1-YEAR WORKMANSHIP COVERAGE**

#### DEFICIENCY

## CONSTRUCTION PERFORMANCE GUIDELINES

## BUILDER/SELLER/ WARRANTOR RESPONSIBILITY

### EXCLUSION

#### 7.5 Finished Wood Flooring

Cupping, open joints, or separations in wood flooring. Open joints or separations between floorboards of finished wood flooring shall not exceed 1/8-inch in width. Cups in strip floorboards shall not exceed 1/16-inch in height in a 3-inch maximum distance when measured perpendicular to the length of the board. Builder/Seller shall determine the cause and if the result of a deficiency in workmanship or material, correct one time only. For repairable deficiencies, repair cracks by filling and refinishing to match the wood surface as closely as possible. For non-repairable deficiencies, replace and finish affected area to match remaining flooring as closely as possible.

shrinkage and swell due to seasonal variations in the humidity level of Home. While boards may be installed tight together, gaps or separations may appear during heating seasons or periods of low humidity. Gaps or separations that close during nonheating seasons are not considered deficiencies. You should be familiar with the recommended care and maintenance requirements of their wood floor. Repeated wetting and drying, or wet mopping may damage wood finishes. Dimples or scratches can be caused by moving furniture or dropping heavy objects, and certain high heel style shoes may cause indentations. These conditions are not covered by the Limited Warranty.

Wood floors are subject to

#### 7.6 Painting

Knot and wood stains appear through paint on exterior.

Exterior paint or stain peels or deteriorates.

Painting required as corollary repair because of other work.

Mildew or fungus forms on painted or factory finished surfaces.

Excessive knot and wood stains that bleed through the paint are considered deficiencies.

Exterior paints or stains that peel or deteriorate during the first year of ownership are deficiencies.

Necessary repair of a painted surface under this Limited Warranty is to be refinished to match surrounding areas as closely as possible.

NONE. NO COVERAGE.

Builder/Seller shall seal affected areas where excessive bleeding of knots and stains appear, one time only during the first Warranty Term. Builder/Seller will touchup paint to match as closely as possible.

Builder/Seller shall properly prepare and refinish affected areas, matching color as closely as possible. Where finish repairs affect the majority of the surface areas, the whole area should be refinished. The Limited Warranty on the newly repainted surfaces will not extend beyond the original Warranty Term.

Builder/Seller shall refinish repaired areas to meet the standard as required.

NONE.

Fading, however, is normal and subject to the orientation of painted surfaces to the climactic conditions which may prevail in the area. Fading is not a deficiency.

Mildew or fungus that forms on a painted or factory finished surface when the surface is subject to various exposures (e.g.: ocean, lake, riverfront, heavily wooded areas or mountains) is not a deficiency.

| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY   | EXCLUSION  |
|--|--|--|--|
| Deterioration of varnish or lacquer finishes.  | Natural finish on interior<br>woodwork that deteriorates<br>during the first year of Limited<br>Warranty coverage is a<br>deficiency.  | Builder/Seller shall refinish<br>affected areas of natural<br>finished interior woodwork,<br>matching the color as closely<br>as possible.   | Varnish-type finishes used<br>on exterior surfaces will<br>deteriorate rapidly and are<br>not covered by the Limited<br>Warranty.  |
| Interior paint coverage.   | Wall, ceiling, and trim surfaces<br>that are painted shall not show<br>through new paint when viewed<br>from a distance of 6-feet under<br>normal lighting conditions.                         | Builder/Seller shall repaint<br>wall, ceiling or trim surfaces<br>where inadequate paint has<br>been applied. Where the<br>majority of the wall or ceiling<br>surface is affected the entire<br>area will be painted from<br>breakline to breakline.<br>Builder/Seller is not required<br>to repaint an entire room<br>unless all walls and ceiling<br>have been affected. |  |
| Paint splatters and smears on finish surfaces.   | Paint splatters on walls,<br>woodwork, or other surfaces<br>which are excessive, shall not be<br>readily visible when viewed from<br>a distance of 6-feet under normal<br>lighting conditions. | Builder/Seller shall remove<br>paint splatters without<br>affecting the finish of the<br>material, or replace the<br>damaged surface if paint<br>cannot be removed.  | Minor paint splatter and smears<br>on impervious surfaces that can<br>be easily removed by normal<br>cleaning methods are considere<br>to be Your maintenance and are<br>not deficiencies.   |
| 7.7 Wall Covering<br>Peeling of wallcovering installed<br>by Builder/Seller.   | Peeling of wallcovering is a deficiency, unless it is due to Your abuse or negligence.   | Builder/Seller shall repair or replace defective wallcovering.   | Wallpaper applied in high<br>moisture areas is exempt<br>from this Guideline because<br>the problem results from<br>conditions beyond the<br>builder's control.  |
| Pattern in wallcovering is mismatched at the edges.  | Pattern in wallcovering shall match at the edges.  | Builder/Seller shall remove<br>mismatched wallcovering and<br>replace. Builder/Seller is not<br>responsible for discontinued<br>or variations in color.  | Defects in the wallcovering<br>patterns are the<br>manufacturer's responsibility,<br>and excluded from Limited<br>Warranty coverage.   |
| Lumps and ridges and nail<br>pops in wallboard that appear<br>after the Homeowner has<br>wallcovering installed by others. | NONE. NO COVERAGE.   | NONE   | You shall insure that the<br>surface to receive wallcovering<br>is suitable and assumes full<br>responsibility should lumps,<br>ridges, and nail pops occur at-<br>a later date.   |
| <b>.8 Carpeting</b><br>Carpet does not meet at the<br>seams.   | It is not unusual for carpet seams<br>to show. However, a visible gap<br>or overlapping at the seam due<br>to improper installation is a<br>deficiency.  | Builder/Seller shall correct<br>to eliminate visible gap or<br>overlapping at the seam.  | Carpet material is not covered<br>under the Warranty.  |
| Color variations in carpet.  | NONE. NO COVERAGE.   | end to an<br>side shad<br>seams, ev<br>Carpet ma<br>Limited W<br>manufact<br>standards   | ay vary by dye lot, and from one<br>other in the same roll. Side to<br>ing may show at most if not all<br>en where the same dye lot is used.<br>aterial is not covered under the<br>/arranty. You should consult carpet<br>urer's warranty for specifications,<br>, and manufacturer's warranty<br>ility for color variations. |

## ITEMS COVERED UNDER THE 1-YEAR WORKMANSHIP COVERAGE

### DEFICIENCY

## CONSTRUCTION PERFORMANCE GUIDELINES

points of attachment.

A properly designed and

Carpeting loosens, or the carpet stretches.

### When stretched and secured properly, wall-to-wall carpeting installed as the primary floor covering shall not come up, loosen, or separate from the

## BUILDER/SELLER/ WARRANTOR RESPONSIBILITY

EXCLUSION

s, or the carpet When stre properly, v installed a

#### Builder/Seller will restretch or resecure carpeting to meet Construction Performance Guidelines one time only during the first year of Limited Warranty coverage.

## 8. Specialties

8.1 Fireplaces

Fireplace or chimney does not draw properly causing smoke to enter home.

Chimney separation from structure to which it is attached.

constructed fireplace or chimney shall function correctly. High winds can cause temporary negative or down drafts. Negative drafts can also be caused by obstructions such as tree branches, steep hillsides, adjoining homes, and interior furnaces. In some cases, it may be necessary to open a window slightly to create an effective draft. Since negative draft conditions could be temporary, it is necessary for the homeowner to substantiate the problems to the Builder/Seller by constructing a fire so the condition can be observed.

Newly built fireplaces will often incur slight amounts of separation. Separation that exceeds 1/2-inch from the main structure in any 10-foot vertical measurement is a deficiency.

Cracks in masonry hearth or facing.

Small hairline cracks in mortar joints resulting from shrinkage are not unusual. Heat and flames from normal fires can cause cracking. When determined the malfunction is based upon improper construction of the fireplace, the Builder/ Seller shall take the necessary steps to correct the problem, one time only during the first year Warranty Term. When it is determined that the fireplace is properly designed and constructed, but still malfunctions due to natural causes beyond Builder/Seller's control, Builder/Seller is not responsible.

Builder/Seller shall correct. Caulking or grouting is acceptable unless the cause of the separation is due to structural failure of the chimney foundation. In that case, caulking is unacceptable.

NONE.

Heat and flames from normal fires can cause cracking of firebrick and mortar joints. This should be expected, and is not covered by the Limited Warranty.

## 9. Cabinets and Vanities

9.1 Kitchen Cabinets and Vanities

Kitchen and vanity cabinet doors and drawers bind.

Warping of kitchen and vanity cabinet doors and drawer fronts.

Cabinet doors and drawers shall open and close with reasonable ease.

Warpage that exceeds 1/4-inch as measured from the face of the cabinet frame to the furthermost point of warpage on the drawer or door front in a closed position is a deficiency. Builder/Seller shall adjust or replace doors and drawers as necessary to meet Construction Performance Guidelines.

Builder/Seller shall correct or replace door or drawer front as required.

| DEFICIENCY   |  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION   |
|--|--|---|---|
| Gaps between cabinets, ceiling and walls.  | Countertops, splash boards,<br>base and wall cabinets are to be<br>securely mounted. Gaps in excess<br>of 1/4-inch between wall and<br>celling surfaces are a deficiency.  | Builder/Seller shall make<br>necessary adjustment of cabinets<br>and countertop or close gap by<br>means of moulding suitable to<br>match the cabinet or countertop<br>finish, or as closely as possible; or<br>other acceptable means. |   |
| <b>9.2 Countertops</b><br>Surface cracks and<br>delaminations in high<br>pressure laminates of<br>vanity and kitchen cabinet<br>countertops. | Countertops fabricated with high<br>pressure laminate coverings that<br>delaminate or have surface cracks<br>or joints exceeding 1/16-inch<br>between sheets are considered<br>deficiencies.   | Builder/Seller shall repair or<br>replace laminated surface covering<br>having cracks or joints exceeding<br>the allowable width.   |   |
| O. Mechanical  |  |   |   |
| <b>0.1 Plumbing</b><br>Faucet or valve leak.   | A valve or faucet leak due to material<br>or workmanship is a deficiency and is<br>covered only during the first year of<br>the Warranty.  | Builder/Seller shall repair or replace the leaking faucet or valve.   | Leakage caused by worn or<br>defective washers or seals<br>are Your maintenance item.   |
| Defective plumbing fixtures, appliances or trim fittings.  | Fixtures, appliances, or fittings shall comply with their manufacturer's standards as to use and operation.  | NONE,   | Defective plumbing fixtures,<br>appliances, and trim fittings<br>are covered under their<br>manufacturer's warranty.  |
| <b>D.2 Water Supply</b><br>Staining of plumbing fixtures<br>due to high iron, manganese,<br>or other mineral content in<br>water.            | NONE. NO COVERAGE.   | NONE. High iron and<br>manganese content in the<br>water supply system will<br>cause staining of plumbing<br>fixtures.  | Maintenance and treatment<br>of the water is Your<br>responsibility.  |
| Noisy water pipes.   | Some noise can be expected from<br>the water pipe system, due to the<br>flow of water. However, the supply<br>pipes should not make the pounding<br>noise called "water hammer".<br>"Water hammer" is a deficiency<br>covered only during the first year of<br>the Warranty.   | Builder/Seller shall correct to eliminate "water hammer."   | Noises due to water flow<br>and pipe expansion are not<br>considered deficiencies.  |
| 0.3 Heating and Air<br>Onditioning   |  |   |   |
| Inadequate heat.   | A heating system shall be capable<br>of producing an inside temperature<br>of at least 70-degrees Fahrenheit<br>as measured in the center of the<br>room at a height of five feet above<br>the floor under local outdoor<br>winter design conditions. NOTE FOR<br>HEATING: There may be periods<br>when the outdoor temperature<br>falls below the design temperature,<br>thereby lowering the temperature<br>in Home. | Builder/Seller shall<br>correct heating system as<br>required to provide the<br>required temperatures if a<br>deficiency exists.  | Orientation of Home and<br>location of room will also<br>provide a temperature<br>differential, especially<br>when the heating system is<br>controlled by a single<br>thermostat for one or<br>more floor levels. You are<br>responsible for balancing<br>dampers and registers and<br>for making other necessary<br>minor adjustments. |

| 1  | le contra de la co |   |  |
|--|--|---|--|
| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION  |
| Inadequate cooling.  | When air conditioning is provided,<br>the cooling system is to be capable<br>of maintaining a temperature of<br>78-degrees Fahrenheit as measured<br>the center of each room at height of<br>five feet above the floor, under local<br>outdoor summer design conditions.<br>NOTE FOR AIR CONDITIONING: In<br>the case of outside temperatures<br>exceeding 95-degrees Fahrenheit,<br>the system shall keep the inside<br>temperature 15-degrees cooler than<br>the outside temperature. National,<br>state, or local requirements shall<br>supersede this guideline where such<br>requirements have been adopted by<br>the local governing agency.   |   | Orientation of Home and<br>location of room will also<br>provide a temperature<br>differential, especially when<br>the air conditioning system<br>is controlled by a single<br>thermostat for one or more<br>levels. You are responsible<br>for balancing dampers and<br>registers and for making<br>other necessary minor<br>adjustments. |
| Ductwork and heating piping not insulated in uninsulated area. | Ductwork and heating pipes that<br>are run in uninsulated crawl spaces,<br>garages or attics are to be insulated.<br>Basements are not "uninsulated<br>areas", and no insulation is required.  | Builder/Seller shall install required insulation.   |  |
| Condensate lines clog up.                                      | NONE. NO COVERAGE.   | Builder/Seller shall provide<br>clean and unobstructed lines<br>on Effective Date of Warranty.  | Condensate lines will clog<br>under normal conditions. Yo<br>are responsible for continue<br>operation of drain lines.   |
| Improper mechanical operation of evaporative cooling system.   | Equipment that does not function properly at temperature standard set is a deficiency.   | Builder/Seller shall correct and<br>adjust so that blower and water<br>system operate as designed<br>during the first year of Limited<br>Warranty coverage. |  |
| Ductwork makes noises.   | NONE. NO COVERAGE.   | NONE.   | When metal is heated, it<br>expands, and when cooled,<br>it contracts. The resulting<br>"ticking" or "crackling" sound<br>generally are to be expected<br>and are not deficiencies.  |
| Ductwork makes excessively loud noises known as "oil canning". | The stiffening of the ductwork and<br>the gauge of metal used shall be<br>such that ducts do not "oil can". The<br>booming noise caused by oil canning<br>is a deficiency.   | Builder/Seller shall take the necessary steps to eliminate noise caused by oil canning.   |  |
| 1. Electrical Components                                       |  |   |  |
| 1.1 Switches and<br>eceptacles                                 |  |   |  |
| Fuses blow, or circuit breakers                                | Fuses and circuit breakers that  | Builder/Seller shall check  |  |

or circuit breakers Builder/Seller shall check Fuses and circuit breakers that kick out. all wiring and replace deactivate under normal usage, when reset or replaced are wiring or breaker if it deficiencies during the first year of does not perform Limited Warranty coverage. adequately or is defective. Drafts from electrical outlets. NONE. NO COVERAGE. NONE. The electrical junction box on exterior walls may produce a slight air flow whereby the cold air can be drawn through the outlet into a room. This problem is normal in new Home construction.

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY                                   | EXCLUSION  |
|---|---|--|--|
| Malfunction of electrical outlets,<br>switches, or fixtures.                      | All switches, fixtures and outlets<br>which do not operate as intended<br>are considered deficiencies only<br>during the first year of Limited<br>Warranty coverage.  | Builder/Seller shall repair or replace defective switches, fixtures and outlets. |  |
| Light fixture tarnishes.  | NONE. NO COVERAGE.  | NONE.  | Finishes on light fixtures<br>may be covered under their<br>manufacturer's warranty. |
| L1.2 Service and<br>Distribution<br>Ground fault interrupter trips<br>frequently. | Ground fault interrupters are<br>sensitive safety devices installed<br>into the electrical system to provide<br>protection against electrical shock.<br>These devices are sensitive and<br>can be tripped very easily. Ground<br>fault outlets that do not operate as<br>intended are considered deficiencies | Warranty coverage.   |  |
|   |   |  |  |
|   | E 2-YEAR SYSTEMS COVERAG<br>CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | E<br>BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY                              | EXCLUSION  |
| TEMS COVERED UNDER THE<br>DEFICIENCY<br>2. Mechanical Systems                     | CONSTRUCTION<br>PERFORMANCE   | BUILDER/SELLER/<br>WARRANTOR   | EXCLUSION  |

| DEFICIENCY   | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES   | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION   |  |  |
|--|---|---|---|--|--|
| <b>12.2 Plumbing</b> Water in plumbing pipes freezes, and the pipes burst. | Drain, waste, vent, and water<br>pipes shall be adequately<br>protected to prevent freezing<br>and bursting during normally<br>anticipated cold weather.  | Builder/Seller shall correct<br>conditions not meeting<br>Construction Performance<br>Guidelines.   | Burst pipes due to Your<br>neglect and resultant<br>damage are not Builder/<br>Seller's responsibility.<br>You are responsible for<br>draining exterior faucets,<br>and maintaining suitable<br>temperature in the Home<br>to prevent water in pipes<br>from freezing. During<br>periods when the outdoor<br>temperature falls below the<br>design temperature, You are<br>responsible for draining or<br>otherwise protecting pipes.<br>Homes which are periodicall<br>occupied, such as summer<br>homes, or where there will<br>be no occupancy for an<br>extended period of time, mu<br>be properly winterized or<br>periodically checked to insur-<br>that a reasonable temperatu<br>is maintained. |  |  |
| Leakage from any piping.   | Leaks in any waste, vent and water piping are deficiencies.   | Builder/Seller shall make<br>necessary repairs to eliminate<br>leakage.   | Condensation on piping does<br>not constitute leakage, and is<br>not a deficiency, except wher<br>pipe insulation is required.  |  |  |
| Sanitary sewers, fixtures,<br>waste or drain lines are<br>clogged.         | The Builder/Seller is not<br>responsible for sewers,<br>fixtures, or drains that are<br>clogged because of Your<br>actions or negligence. Sanitary<br>sewers, fixtures, waste or<br>drain lines that do not operate<br>or drain properly due to<br>improper construction are<br>deficiencies. | When defective construction<br>is shown to be the cause,<br>Builder/Seller shall make<br>necessary repairs.<br>If Your actions or negligence is<br>the cause, You are responsible<br>for correcting the problem.<br>You are liable for the entire<br>cost of any sewer and drain<br>cleaning service provided by<br>Builder/Seller where clogged<br>drains are caused by Your<br>actions or negligence. | Builder/Seller is not<br>responsible for sewer lines<br>that extend beyond the<br>property lines on which the<br>Home is constructed.   |  |  |
| L2.3 Water Supply<br>Water supply system fails to<br>deliver water.        | All service connections to<br>municipal water main or<br>private water supply are<br>Builder/Seller's responsibility<br>when installed by Builder/<br>Seller.   | Builder/Seller shall repair<br>as required if failure to<br>supply water is the result of<br>deficiency in workmanship or<br>materials.   | If conditions exist which<br>disrupt or eliminate the<br>sources of water supply that<br>are beyond Builder/Seller's<br>control, then Builder/Seller is<br>not responsible.   |  |  |
| 2.4 Heating and Air<br>Conditioning<br>Refrigerant lines leak.             | Builder/Seller-installed refrigerant<br>lines or ground loop pipes that<br>develop leaks during normal  | Builder/Seller shall repair<br>leaking lines and recharge the<br>unit as required.  | Leaks due to Your actions or negligence are excluded.   |  |  |

Ductwork separates, becomes unattached.

HBW\_307\_071512

operation are deficiencies.

Ductwork that is not intact or securely fastened is a deficiency.

Builder/Seller shall reattach and resecure all separated or unattached ductwork.

30

| DEFICIENCY  | CONSTRUCTION<br>PERFORMANCE<br>GUIDELINES  | BUILDER/SELLER/<br>WARRANTOR<br>RESPONSIBILITY  | EXCLUSION |
|---|--|---|-----------|
| 3. Electrical Systems   |  |   |           |
| 3.1 Electrical<br>onductors<br>Failure of wiring to carry its<br>designed load. | Wiring that is not capable of<br>carrying the designated load,<br>for normal residential use to<br>switches, receptacles, and<br>equipment, is a deficiency. | Builder/Seller shall check<br>wiring and replace if it fails to<br>carry the design load. |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  | · · · · · · · · · · · · · · · · · · ·   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |
|   |  |   |           |

## THIS PAGE INTENTIONALLY LEFT BLANK

. .

HBW\_307\_071512



2-10 Home Buyers Warranty | Warranty Administration Office 10375 East Harvard Ave., Suite 100 | Denver, CO 80231 | 855.429.2109

# NOTICE OF CLAIM FORM FOR STRUCTURAL CLAIMS ONLY

Please read the 2-10 Home Buyers Warranty® Booklet, section IV, page 5, for filing instructions and pertinent information.

· •

| Name:                       | ********                             |                                     |       |     |
|-----------------------------|--------------------------------------|-------------------------------------|-------|-----|
| Address Of Claim:           |                                      |                                     |       |     |
|                             | Street                               | City                                | State | Zíp |
| Home Phone:                 |                                      | Business Phone:                     |       |     |
| Email Address               |                                      |                                     |       |     |
| Effective Date Of Warranty: | (Date of Closing or First Occupancy) | Certificate of Warranty Coverage #: |       |     |

Please note that the 2-10 Home Buyers Warranty<sup>®</sup> Program provides Limited Structural Defect Warranty Coverage which is subject to exclusions and conditions. You are encouraged to review the Structural Coverage provisions of your Warranty Booklet.

### Please answer the following questions:

| I. Have you reviewed the Definition of a Structural Defect in your Warranty Booklet?  | Yes 🗋 | No 🗋 |
|---|-------|------|
| 2. Do you believe that you have actual physical damage to one or more of the listed load bearing portions of your home?           | Yes 🗆 | No 🗌 |
| 3. Have you reviewed the list of non-load-bearing elements which would not qualify as<br>a Structural Defect under this coverage? | Yes 🗀 | No 🗔 |
| 4. Do you feel that your home is unsafe, unsanitary or otherwise unlivable as a result<br>of the defect?                          | Yes 📋 | No 🖂 |

Nature of Defect (Be specific; If available, enclose photographs; attach separate sheet if necessary)

| Date Defect First Observed: |  |
|-----------------------------|--|

It is unlawful to knowingly provide false, incomplete, or misleading facts or information to an insurance company for the purpose of defrauding or attempting to defraud the company. Penalties may include imprisonment, fines, denial of insurance, and civil damages. Any insurance company or agent of an insurance company who knowingly provides false, incomplete, or misleading facts or information to a policyholder (Builder/Seller) or claimant (Homeowner) for the purpose of defrauding or attempting to defraud the policyholder (Builder/Seller) or claimant (Homeowner) for the purpose of defrauding or attempting to defraud the policyholder (Builder/Seller) or claimant (Homeowner) with regard to a settlement or award payable from insurance proceeds shall be reported to the insurance commissioner or your state.

| CHECK ONE (if applicable): 1) | $\Box$ | FHA | 2) | $\Box$ | VA 3) | $\Box$ | RHS |  |
|-------------------------------|--------|-----|----|--------|-------|--------|-----|--|
| CASE #:                       |        |     |    |        |       |        |     |  |

If you are the original owner, and your Home has FHA/VA

financing, please provide the following: Name of Mortgage Company:\_\_\_\_\_

Address of Mortgage Company:\_\_\_\_

Homeowner Signature:

Date:

Homeowner Signature:

Date:

HBW\_304\_061713

THIS PAGE INTENTIONALLY LEFT BLANK

.

MAIL TO: 2-10 Home Buyers Warranty 10375 East Harvard Ave., Suite 100 | Denver, CO 80231 | 855.429.2109



# NOTICE OF COMPLAINT FORM FOR WORKMANSHIP & SYSTEMS COVERAGE

Please read the 2-10 Home Buyers Warranty<sup>®</sup> Booklet, section IV, page 5, for filing instructions and pertinent information. If your previous written attempts to resolve your problems with the Builder/Seller have failed, then this form is to be sent to your Builder/Seller, with a copy to the HBW Warranty Administration Office. This form must be received by your Builder/Seller and HBW no later than fifteen (15) days after the expiration of the applicable warranty term. We recommend certified mail, return receipt.

. .

| Name:  |   |
|--|---|
| Address of Complaint:  |   |
| Home Phone:  | Business Phone:   |
| Email Address:   |   |
|  | _ Certificate of Warranty Coverage #:   |
| Nature of Defect (Be Specific):  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
|  |   |
| Date Defect First Observed:  | Date First Reported to Builder/Seller:  |
| Attach any copies of relevant correspondence between you and that indicates that your Builder/Seller has failed to perform his/ł | your Builder/Seller involving this matter. Please provide any correspondence<br>her warranty obligations, and a copy of the Certificate of Warranty Coverage. |
|  |   |
|  |   |
|  |   |
| Homeowner Signature:   |   |
| nomeowner alginature.  | CHECK ONE (IF APPLICABLE): 1) □ FHA 2) □ VA 3) □ RHS  |

Homeowner Signature:

Date:\_\_\_\_\_

| Attach any copies of relevant correspondence between you       |
|--|
| and your Builder/Seller involving this matter. Please provide  |
| any correspondence that indicates that your Builder/Seller has |
| failed to perform his/her warranty obligations, and a copy of  |
| the Certificate of Warranty Coverage.                          |

CASE #:\_

#### THIS PAGE INTENTIONALLY LEFT BLANK

# SUCCESSIVE HOMEOWNER TRANSFER AND ACCEPTANCE



As the successive homeowner of the home located at \_\_\_\_\_\_(Home) I/We accept any coverage remaining on the 2-10 HBW Warranty provided by the Builder/Seller that first sold the newly constructed Home. I/ We have reviewed and agreed to all the terms in the 2-10 HBW warranty booklet.

I/We understand that Home Buyers Warranty Corporation (2-10 HBW) is not the warrantor of the Builder/Seller's 2-10 HBW warranty, but rather provides services to administer the warranty.

I/We agree to the Binding Arbitration process for resolving warranty disputes between us, the Builder/Seller and/or the Warranty Insurer.

Signature(s) of successive Home Buyer(s):

| SIGN  | PRINT |  |
|-------|-------|--|
|       |       |  |
| SIGN  | PRINT |  |
|       |       |  |
| PHONE | EMAIL |  |
|       |       |  |

DATE

In order to process this request, please mail this form and a check in the amount of \$20 payable to 2-10 HBW to:

2-10 Home Buyers Warranty Corporation Warranty Administration Department

10375 East Harvard Avenue, Suite 100

Denver, CO 80231

### THIS PAGE INTENTIONALLY LEFT BLANK

\*

HBW\_307\_071512